

MAGNETNI SENZORJI SERIJA EMS IN RMS



ELEKTRONSKI MAGNETNI SENZORJI SERIJA EMS

MODEL	2-ŽIČNI	NPN	PNP
NAPAJALNA NAPETOST	10V - 28VDC	5V - 30 V DC	
STIKALNI TOK	2.5 mA - 100mA	30V/200 mA max	
STIKALNA MOČ	2.8W max	6.0 W max	
PADEC NAPETOSTI	2.7V max	0.7V max	
MIROVNI TOK	0.05 mA max	0.01 mA max	
FREKVENCA PREKLOPA max.	1000 Hz		
VIBRACIJE	50 G		
TEMPERATURNO OBMOČJE	-10 / +70°C		
ZAŠČITA	IP64/IP68		

REED MAGNETNI SENZORJI SERIJA RMS


MODEL	STANDARD	TEMPERATURNO ODPORNI
NAPETOST	5V - 240 V AC/DC	
STIKALNI TOK	100 mA	
STIKALNA MOČ	10W max	
NOTRANJNI PADEC NAPETOSTI	2.5V max pri 100mA DC	/
FREKVENCA PREKLOPA max.	200 Hz	
VIBRACIJE	50 G	
TEMPERATURNO OBMOČJE	-10 / +70°C	-10 / +125°C
ZAŠČITA	IP64	

DIMENZIJE IN USTREZNI CILINDRI


RMS-G/EMS-G MAGNETNI SENZORJI G

OBLIKA

G



USTREZNI CILINDRI




PCAVT SERIJA **



PCAI SERIJA *



PCATB SERIJA *



PCATF SERIJA *



PCATG SERIJA *




PCABL SERIJA ***



PCAMK SERIJA ***



PCAX SERIJA




PCAXV SERIJA



PCA3L, PCA3M SERIJA (12 - 100)



PCA2R SERIJA (10 - 32)



PCAMM SERIJA



PCATW SERIJA



PPAFP SERIJA (16 - 32)



PPAFZ SERIJA (16 - 40)



PPAFY SERIJA (10 - 32)



PPAFK SERIJA (16 - 40)



PPAFKL (16 - 25) SERIJA



PCAXK SERIJA


* Montaža z objemko OMRS

** Montaža z držalom DRI

*** Montaža z objemko OMRS-AL

EMS-GS MAGNETNI SENZORJI G ZA KRATKE HODE


OBLIKA



USTREZNI CILINDRI



PCAX SERIJA (16 - 32)




PCAXV SERIJA



PCA3L, PCA3M SERIJA (12 - 100)



PCA2R SERIJA



PCAMM SERIJA



PCATW SERIJA



PPAFP SERIJA (10 - 32)



PPAFZ SERIJA (16 - 40)



PPAFY SERIJA (10 - 32)



PPAFK SERIJA (16 - 40)




PPAFKL (16 - 25) SERIJA



PCAXK SERIJA

RMS-H/EMS-H MAGNETNI SENZORJI H

OBLIKA



USTREZNI CILINDRI




PCAX SERIJA (125 - 160)




PCDK SERIJA



PCA3L, PCA3M SERIJA (6 - 10)



PCABRMH SERIJA



PCAGS SERIJA



PPAFD SERIJA




PCAFM SERIJA



PCAPG SERIJA



PCALH SERIJA



PCALF SERIJA




PCALQ SERIJA



PCALS SERIJA



PCART SERIJA



PPAFT SERIJA



PPAFZ SERIJA



PPAFK SERIJA



PPAFKL SERIJA



PPAFP SERIJA (32)



PPAFY SERIJA (6)



PPAFR SERIJA




PPAFC SERIJA



PPAQC SERIJA


EMS-HS MAGNETNI SENZORJI H ZA KRATKE HODE

OBLIKA



RMS-E/EMS-E MAGNETNI SENZORJI E

OBLIKA



USTREZNI CILINDRI




PCAS SERIJA

PCAF SERIJA

PCAY SERIJA

RMS-J/EMS-J MAGNETNI SENZORJI J

OBLIKA



USTREZNI CILINDRI



PCAX SERIJA (32 - 100)

PCAXV SERIJA (32 - 100)

PCAXK SERIJA (32 - 63)

PCDK SERIJA

DRŽALA DRI - za cilindre z veznimi vijaki 32-250, senzor G



KODA ZA NAROČILO
DRI-32/40
DRI-50/63
DRI-80/100
DRI-125
DRI-160/200
DRI-250

OBJEMKE - OMRS za okrogle cilindre 08-32 z inox cevjo, senzor G




KODA ZA NAROČILO ZA CILINDRE Z INOX CEVJO		KODA ZA NAROČILO ZA CILINDRE Z ALUMINIJASTO CEVJO
OMRS-6-PCAI	OMRS-20-PCAI	OMRS-20-AL
OMRS-8-PCAI	OMRS-25-PCAI	OMRS-25-AL
OMRS-10-PCAI	OMRS-32-PCAI	OMRS-32-AL
OMRS-12-PCAI	OMRS-40-PCAI	OMRS-40-AL
OMRS-16-PCAI	OMRS-50-PCAI	OMRS-50-AL
	OMRS-63-PCAI	OMRS-63-AL
		OMRS-80-AL


VEZALNE SCHEME

2-ŽICI, REED PRIKLOP


1. STANDARDNI PRIKLOP



2. SERIJSKI PRIKLOP (IN)




3. PARALELNI PRIKLOP (ALI)




3-ŽICE, NPN PRIKLOP


1. STANDARDNI PRIKLOP



2. SERIJSKI PRIKLOP (IN)




3. PARALELNI PRIKLOP (ALI)




3-ŽICE, PNP PRIKLOP


1. STANDARDNI PRIKLOP



2. SERIJSKI PRIKLOP (IN)



3. PARALELNI PRIKLOP (ALI)



KODA ZA NAROČILO

EMS

G

P

2M

W

VRSTA	TIP	IZHOD	PRIKLJUČNI KABEL		DODATNO
EMS - elektronsko magnetno stikalo	G	BREZ - 2 vodnika	2M - 2 metra kabla	M8-30 - M8 konektor s 3m kabla (vtikač)	W - IP68- samo za EMS (ni možno z M8/M12 konektorjem)
RMS - reed magnetno stikalo	GS	N - NPN - 3 vodniki	3M - 3 metre kabla	M12-05 - M12 konektor z 0.5m kabla (vtikač)	H - temperaturna obstojnost-samo za RMS (ni možno z M8/M12 konektorjem)
	H	P - PNP - 3 vodniki	5M - 5 metrov kabla	M12-10 - M12 konektor z 1m kabla (vtikač)	
	HS		M8-05 - M8 konektor z 0.5m kabla (vtikač)	M12-20 - M12 konektor z 2m kabla (vtikač)	
	E		M8-10 - M8 konektor z 1m kabla (vtikač)	M12-30 - M12 konektor s 3m kabla (vtikač)	
	J		M8-20 - M8 konektor z 2m kabla (vtikač)		