

VENTOSE

SUCTION CUPS



Caratteristiche materiali

Characteristics of the materials

PARA NATURALE ELASTICA

Caratteristiche:

Ottima resa elastica e resistenza all'usura, al taglio e alla lacerazione. Eccezionale allungamento a rottura, caratteristiche meccaniche superiori.

Resistenza chimica:

Discreta resistenza all'acqua di mare, agli acidi e agli alcali a media concentrazione.

Temperatura d'esercizio:

-40/+80

GOMMA NATURALE NERA

Caratteristiche:

Buona resa elastica e resistenza all'usura, al taglio e alla lacerazione.

Resistenza chimica:

Discreta resistenza all'acqua di mare, agli acidi e agli alcali a media concentrazione.

Temperatura d'esercizio:

-40/+80

MESCOLA NBR

Caratteristiche:

Particolare resistenza agli olii, al calore e all'invecchiamento. Buone proprietà meccaniche. Bassa deformazione permanente e bassa permeabilità ai gas.

Resistenza chimica:

oli minerali, oli vegetali, idrocarburi, acqua, vapore, gas.

Temperatura d'esercizio:

-40/+110

SILICONE (VMQ)

Caratteristiche:

Perfetto comportamento alle alte e basse temperature, è particolarmente consigliata anche per gli articoli atossici.

Resistenza chimica:

Clorurati, solventi, raggi U.V., ozono, ossigeno, freddo e calore intensi.

Temperatura d'esercizio:

-80/+200

ELASTOCLEAN

Caratteristiche:

Ottima resa elastica e buona resistenza all'usura, all'abrasione e alla trazione. Particolarmente adatta a non rilasciare aloni o macchie

sulle superfici di presa.

Resistenza chimica:

all'olio, all'ozono, all'alcol e alle intemperie.

Temperatura d'esercizio:

-30/+40

ELASTOBRAKE

Caratteristiche:

Ottima resistenza alla trazione, all'usura e all'abrasione. Ottimo grip grazie al particolare disegno della superficie di presa, particolarmente adatta per movimentazioni ad alta velocità.

Resistenza chimica:

all'olio, all'ozono, all'alcol e alle intemperie.

Temperatura d'esercizio:

-25/+80

EPDM

Caratteristiche:

Ottima resistenza al calore, agli agenti atmosferici e all'invecchiamento. Ottima adattabilità alle superfici irregolari.

Resistenza chimica:

buona resistenza agli aggressivi chimici e all'ossigenazione.

Temperatura d'esercizio:

-30/+150

TPU

Caratteristiche:

Elevatissima resistenza all'abrasione, alla trazione e alla flessione.

Resistenza chimica:

Buona resistenza all'alcol, all'ozono, agli agenti atmosferici e agli olii.

Temperatura d'esercizio:

-30/+100

PVC

Caratteristiche:

Elevata resistenza all'usura, alla trazione.

Resistenza chimica:

Buona resistenza agli olii, al vapore e all'ozono.

Temperatura d'esercizio:

-15/+50

NATURAL RUBBER

Caratteristiche:

Excellent elasticity and resistance to wear, cutting and laceration. Exceptional break stretching, superior mechanical characteristics.

Chemical resistance:

Moderate resistance to sea water, acids and medium concentration alkalis.

Temperature of use (°C):

-40/+80

NATURAL BLACK RUBBER

Caratteristiche:

Good elasticity and resistance to wear, cutting and laceration.

Chemical resistance:

Moderate resistance to sea water, acids and medium concentration alkalis.

Temperature of use (°C):

-40/+80

NITRILE COMBINATION

Caratteristiche:

Special resistance to oil, heat and ageing. Good mechanical properties. Low degree of permanent deformation and low gas permeability.

Chemical resistance:

Mineral oils, vegetable oils, hydrocarbons, water, vapor, gas.

Temperature of use (°C):

-40/+110

SILICON RUBBER (VMQ)

Caratteristiche:

Perfect behavior at high and low temperatures, it is also particularly recommended for non-toxic articles.

Chemical resistance:

Chlorates, solvents, UV rays, ozone, oxygen, intense heat and cold.

Temperature of use (°C):

-80/+200

ELASTOCLEAN

Caratteristiche:

Excellent elasticity and good resistance to wear, abrasion and traction.

It does not leave any spot or ring on surfaces.

Chemical resistance:

Oils, ozone, alcohol and atmospheric agents.

Temperature of use (°C):

-30/+40

ELASTOBRAKE

Caratteristiche:

Excellent resistance to traction, wear and abrasion.

Very good grip thanks to the special shape of the gripping surface.

Especially suitable for high speed handlings.

Chemical resistance:

Oils, ozone, alcohol and atmospheric agents.

Temperature of use (°C):

-25/+80

EPDM

Caratteristiche:

Excellent resistance to heat, atmospheric agents and ageing. Very good adaptability to uneven surfaces.

Chemical resistance:

Good resistance to chemical agents and to oxygenation.

Temperature of use (°C):

-30/+150

TPU

Caratteristiche:

Very high resistance to abrasion, traction and bending.

Chemical resistance:

Good resistance to alcohol, ozone, atmospheric agents and oils.

Temperature of use (°C):

-30/+100

PVC

Caratteristiche:

High resistance to wear and traction.

Chemical resistance:

Good resistance to oils, vapor and ozone.

Temperature of use (°C):

-15/+50

VENTOSE SFERICHE STANDARD

STANDARD SPHERICAL SUCTION CUPS

senza supporto / without support	12
con supporto maschio / with male support	13
con supporto femmina / with female support	14

VENTOSE ELASTOBRACE

ELASTOBRACE SUCTION CUPS

sferiche / spherical	15
a soffietto / bellows	17
ovali piane / oval flat	19
ovali a soffietto / oval bellows	21

VENTOSE VTL-VTBL

VTL-VTBL SUCTION CUPS

sferiche / spherical	23
a soffietto / bellows	25

VENTOSE VC-LINE

VC-LINE SUCTION CUPS

■ Ventose sferiche / Spherical suction cups	
senza supporto / without support	26
con supporto maschio / with male support	26
con filetto femmina vulcanizzato interno with female vulcanized thread	27

■ Ventose piane / Flat suction cups	
senza supporto / without support	27
con supporto maschio / with male support	28
con filetto femmina vulcanizzato interno with female vulcanized thread	28

VENTOSE F-LINE

F-LINE SUCTION CUPS

■ Serie AM - AF / AM - AF Series	
ventose piane con raggi / finned flat suction cup	29
supporti per ventose - Serie AF fittings for suction cups - AF Series	44

■ Serie BM - BF / BM - BF Series	
ventose a soffietto / bellows suction cups	45
supporti per ventose - Serie BF fittings for suction cups - BF Series	60

■ Serie CM - CF / CM - CF Series	
ventose piane senza raggi not finned flat suction cup	61
supporti per ventose - Serie CF fittings for suction cups - CF Series	69

■ Serie DF / DF Series	
ventose a più soffiatti series of bellows suction cup	70
supporti per ventose - Serie DF fittings for suction cups - DF Series	77

■ Serie EM - EF / EM - EF Series	
ventose coniche / conical suction cups	78
supporti per ventose - Serie EF fittings for suction cups - EF Series	83

■ Serie GF / GF Series	
ventose sferiche con raggi spherical suction cups	84
supporti per ventose - Serie GF fittings for suction cups - GF Series	85

■ Serie MF / MF Series	
ventose a soffietto / bellows suction cups	86
supporti per ventose - Serie MF fittings for suction cups - MF Series	91

■ Serie VES / VES Series	
ventose a soffietto / bellows suction cups	92
supporti per ventose - Serie VES fittings for suction cups - VES Series	102

■ Serie VFX / VFX Series	
ventose a soffietto / bellows suction cups	103
supporti per ventose - Serie VFX fittings for suction cups - VFX Series	111

VENTOSE SPECIALI PIANE

SPECIAL FLAT SUCTION CUPS

senza supporto / without support	112
con supporto maschio / with male support	123
con supporto maschio vulcanizzato with vulcanized male support	126
per tappi senza supporto for caps without support	127

VENTOSE SPECIALI A SOFFIETTO

SPECIAL BELLOWS SUCTION CUPS

senza supporto / without support	128
per uova senza supporto for eggs without support	135
con supporto maschio / with male support	136
con supporto maschio vulcanizzato with male vulcanized support	138
con supporto maschio vulcanizzato esterno with external male vulcanized support	139
con supporto femmina / with female support	140
per superfici piane con supporto for flat surface with support	141
con filetto femmina vulcanizzato interno with female vulcanized thread	141
con supporto femmina vulcanizzato esterno with external female vulcanized support	142
con supporto femmina vulcanizzato with female vulcanized support	143
con supporto femmina fisso with fixed female support	144

VENTOSE OVALI

OVAL SUCTION CUPS

senza supporto / without support	145
con supporto maschio / with male support	146
con supporto vulcanizzato	
<i>with vulcanized support</i>	148
speciali senza supporto	
<i>special without support</i>	149
speciali con supporto vulcanizzato	
<i>special with vulcanized support</i>	149
con profilo in EPDM / with outline in EPDM	150
a soffietto con supporto vulcanizzato	
<i>bellows with vulcanized support</i>	151

VENTOSE A DISCO

DISC SUCTION CUPS

serie VD senza supporto	
<i>VD Series without support</i>	152
serie VDUS con supporto in alluminio	
<i>VDUS Series with support in aluminium</i>	153
serie VDUS con supporto vulcanizzato in alluminio	
<i>VDUS Series with vulcanized support in aluminium</i>	153
serie VDUT con tastatore	
<i>VDUT Series with relief valve</i>	154
serie VDPT con tastatore a sfera	
<i>VDPT Series with spherical relief valve</i>	154
serie VDE con raggi e supporto vulcanizzato	
<i>VDS Series flat with rays and vulcanized support</i>	155
serie VDO senza supporto	
<i>VDO Series without support</i>	155
serie VNT 100 con supporto vulcanizzato	
<i>VNT 100 Series with vulcanized support</i>	156
serie VDS con supporto vulcanizzato in acciaio	
<i>VDS Series with vulcanized support in steel</i>	157
serie VDSF 110 / VDSF 110 Series	158
serie VDSF 111 / VDSF 111 Series	159
serie VDSB 150-350 / VDSB 150-350 Series	160
serie VDSB 151-351 / VDSB 151-351 Series	161
serie VDUSB 300 / VDUSB 300 Series	162
serie VSSB 200 - 250 / VSSB 200 - 250 Series	163
serie VPF 110 / VPF 110 Series	164
serie VP 150 / VP 150 Series	165
serie VP 240-350 / VP 240-350 Series	166
serie VP / VP Series	166
serie PF senza supporto	
<i>PF Series without support</i>	167
serie PF Supporto per ventose a disco	
<i>PF Series support for disc suction cup</i>	168

VENTOSE IN MOUSSE

FOAM RUBBER SUCTION CUPS

senza supporto / without support	169
con supporto / with support	169

VENTOSE RETTANGOLARI

RECTANGULAR SUCTION CUPS

senza supporto / without support	170
con tastatore a sfera / with spherical relief valve	172
con supporto femmina vulcanizzato	
<i>with female vulcanized support</i>	172

VENTOSE A SCHIACCIAMENTO

DEFLECTION SUCTION CUPS

autobloccanti senza foro	
<i>self locking without hole</i>	173

VENTOSE A MEMBRANA

MEMBRANE SUCTION CUPS

	175
--	-----

VENTOSA AIR CONTACT - SERIE VEB

AIR CONTACT SUCTION CUPS - VEB SERIES	176
--	-----

VENTOSA - SERIE VPM 140

SUCTION CUPS - VPM 140 SERIES	177
--------------------------------------	-----

Ventose sferiche standard

Standard spherical suction cups




Ventose sferiche


senza supporto

Spherical suction cups

without support



art. V 6-45/L



art. V 60-87

Art.	Forza Kg Force Kg	A	BØ	CØ	DØ	E	FØ	G	H	I
V6	0,07	8	3	1,5	6	6	-	7	-	-
V8	0,10	8	5	3	8	6	-	7	-	-
V10	0,17	11	8	4	10	8	-	9	-	-
V10L	0,17	10,5	7	4	10	8,5	-	8,6	-	-
V12	0,25	11	8,5	4	12	8	-	9	-	-
V12C	0,25	11	8	4	12	8	-	9	-	-
V15	0,40	12	8	4	15	8	-	10	-	-
V18	0,61	12	8	4	18	8	-	10	-	-
V20	0,74	13	8	4	20	8,5	-	10	-	-
V22	0,87	13	8	4	22	8	-	10	-	-
V25/C	1,25	8	12	6	25	2	-	4	-	-
V25/L	1,25	16	12	6	25	10	-	11,5	-	-
V30/C	1,70	8	12	6	30	1	-	4	-	-
V30/L	1,70	16	12	6	30	10	-	12,5	-	-
V35/C	2,35	10	12	6	35	1,5	-	5	-	-
V35/L	2,35	17	15	10	35	10	-	12,5	-	-
V40/L	3,20	20	15	10	40	7,5	-	12	-	-
V45/C	4,00	17	15	10	45	6	-	9,5	-	-
V45/L	4,00	20	15	10	45	10	-	14	-	-


Art.	Forza Kg Force Kg	A	BØ	CØ	DØ	E	FØ	G	H	I
V60	6,85	22	15	10	59	5	25	-	10	3
V65	7,10	24	15	10	65	5	25	-	13	2,5
V87	14,50	40	25	15	87	16	25	-	22	4

Ventose sferiche con supporto maschio

**Spherical suction cups
with male support**




VENTOSE
SUCTION CUPS




art. VSUM 6 - 22

Art.	Vent.	+ Supp.	Forza Kg	A	B	C	DØ	EØ	F	G
	S. cup	+ Supp.	Force Kg							
VSUM 6	V6	SUM 40	0,07	15,5	8	3,5	6	5 MA	4	7
VSUM 8	V8	SUM 46	0,10	15	8	5	8	5 MA	2	8
VSUM 10	V10	SUM 30	0,17	25	11	9	10	1/8"	5	14
VSUM 10-5	V10	SUM 41	0,17	21	11	5	10	5 MA	5	14
VSUM 10L	V10L	SUM 30	0,17	24,5	10,5	9	10	1/8"	5	14
VSUM 10L-5	V10L	SUM 41	0,17	20,5	10,5	5	10	5 MA	5	14
VSUM 12	V12	SUM 30	0,25	25	11	9	12	1/8"	5	14
VSUM 12-5	V12	SUM 41	0,25	21	11	5	12	5 MA	5	14
VSUM 15	V15	SUM 30	0,40	26	12	9	15	1/8"	5	14
VSUM 15-5	V15	SUM 41	0,40	22	12	5	15	5 MA	5	14
VSUM 18	V18	SUM 30	0,65	26	12	9	18	1/8"	5	14
VSUM 18-5	V18	SUM 41	0,65	22	12	5	18	5 MA	5	14
VSUM 20	V20	SUM 30	0,74	27	13	9	20	1/8"	5	14
VSUM 20-5	V20	SUM 41	0,74	23	13	5	20	5 MA	5	14
VSUM 22	V22	SUM 30	0,87	27	13	9	22	1/8"	5	14
VSUM 22-5	V22	SUM 41	0,87	23	13	5	22	5 MA	5	14



art. VSUM 25/C - 45/C

Art.	Vent.	+ Supp.	Forza Kg	A	B	C	DØ	EØ	F	G
	S. cup	+ Supp.	Force Kg							
VSUM 25/C	V25/C	SUM10	1,25	17	8	9	25	6 MA*	-	12
VSUM 25/L	V25/L	SUM12	1,25	24	16	8	25	6 MA*	-	15
VSUM 30/C	V30/C	SUM10	1,70	17	8	9	30	6 MA*	-	12
VSUM 30/L	V30/L	SUM12	1,70	24	16	8	30	6 MA*	-	15
VSUM 35/C	V35/C	SUM11	2,35	19	10	9	35	6 MA*	-	15
VSUM 35/L	V35/L	SUM18	2,35	28	17	11	35	1/4"	-	19
VSUM 45/C	V45/C	SUM18	4,00	31	17	14	45	1/4"	-	19



art. VSUM 60 - 87


Art.	Vent.	+ Supp.	Forza Kg	A	B	C	DØ	EØ	F	G
	S. cup	+ Supp.	Force Kg							
VSUM 60	V60	SUM22	6,85	33	22	11	59	1/4"	25	-
VSUM 65	V65	SUM22	7,10	37	24	13	65	1/4"	25	-
VSUM 87	V87	SUM24	14,50	54	40	14	87	1/4"	25	-

* Disponibili anche con attacco maschio da 1/8" e M8.

*Available also in 1/8" and M8.


Ventose sferiche con supporto femmina

Spherical suction cups
with female support



art. VSUF 10-30/L

Art.	Vent. <i>S. cup</i>	+ Supp. + Supp.	Forza Kg <i>Force Kg</i>	A	B	CØ	D	E	G	
VSUF 10	V10	SUF 51	/	0,17	23	1/8"	10	12	11	14
VSUF 12	V12	SUF 51	/	0,25	23	1/8"	12	12	11	14
VSUF 15	V15	SUF 51	/	0,40	24	1/8"	15	12	12	14
VSUF 18	V18	SUF 51	/	0,65	24	1/8"	18	12	12	14
VSUF 20	V20	SUF 51	/	0,74	25	1/8"	20	12	13	14
VSUF 22	V22	SUF 51	/	0,93	25	1/8"	22	12	13	14
VSUF 25/L	V25/L	SUF 57	/	1,25	28	1/8"	25	12	16	14
VSUF 30/L	V30/L	SUF 57	/	1,70	28	1/8"	30	12	16	14




art. VSUF 35/L-45/L

Art.	Vent. S. cup	+ Supp. + Supp.	Forza Kg Force Kg	A	B	CØ	D	E	G
VSUF 35/L	V35/L	SUF 52* SUM14	2,35	30	1/4"*	35	13	17	19
VSUF 40/L	V40/L	SUF 52* SUM14	3,20	33	1/4"*	40	13	20	19
VSUF 45/L	V45/L	SUF 52* SUM14	4,00	33	1/4"*	45	13	20	19

* Disponibile anche con attacco femmina 1/8" **SUF 58***

* Also available with female connection 1/8" **SUF 58***



art. VSUF 60-87

Art.	Vent. S. cup	+ Supp. + Supp.	Forza Kg Force Kg	A	B	CØ	D	E	G
VSUF 60	V60	SUF 52* SUM21	6,85	35	1/4"*	60	13	22	19
VSUF 65	V65	SUF 52* SUM21	7,10	37	1/4"*	65	13	24	19
VSUF 87	V87	SUF 54 SUM21	14,50	55	1/4"	87	15	40	19

* Disponibile anche con attacco femmina 1/8" **SUF 58***

* Also available with female connection 1/8" **SUF 58***

Ventose Elastobrake


Elastobrake suction cups




VENTOSE
SUCTION CUPS

Ventose sferiche


Spherical suction cups




Art.	A	B	Fil.1	D	E	CH
VTSA 35	20	6	1/4"	35	3	17
VTSA 45	22	6	1/4"	45	4	17
VTSA 55	28	8	3/8"	55	5	22
VTSA 65	31	8	3/8"	65	6	22
VTSA 85	35	8	3/8"	85	7,6	22
VTSA 105	36	8	3/8"	105	10	22
VTSA 135	43	10	3/8"	135	12,3	22




Art.	A	B	Fil.1	D	E	F	CH	CH1
VTSB 35	36	6	3/8"	35	3	9	17	22
VTSB 45	38	6	3/8"	45	4	9	17	22
VTSB 55	33	8	1/4"	55	5	15	22	19
VTSB 65	36	8	1/4"	65	6	15	22	19
VTSB 85	40	8	1/4"	85	7,6	15	22	19
VTSB 105	41	8	1/4"	105	10	15	22	19
VTSB 135	48	10	1/4"	135	12,3	15	22	19




Art.	A	B	Fil.1	D	E	F	CH	CH1
VTSC 35	20	6	1/4"	35	3	10	17	6
VTSC 45	22	6	1/4"	45	4	10	17	6
VTSC 55	28	8	1/4"	55	5	10	22	6
VTSC 65	31	8	1/4"	65	6	10	22	6
VTSC 85	35	8	1/4"	85	7,6	10	22	6
VTSC 105	36	8	1/4"	105	10	10	22	6
VTSC 135	43	10	1/4"	135	12,3	10	22	6



Art.	A	B	Fil.1	D	E	F	CH	CH1
VTSD 35	20	6	M10	35	3	12	17	4
VTSD 45	22	6	M10	45	4	12	17	4
VTSD 55	28	8	M10	55	5	12	22	4
VTSD 65	31	8	M10	65	6	12	22	4
VTSD 85	35	8	M10	85	7.6	12	22	4
VTSD 105	36	8	M10	105	10	12	22	4
VTSD 135	43	10	M10	135	12.3	12	22	4




Art.	A	B	Fil.1	D	E	F	CH	CH1
VTSE 35	20	6	M14x1.5	35	3	12	17	6
VTSE 45	22	6	M14x1.5	45	4	12	17	6
VTSE 55	28	8	M14x1.5	55	5	12	22	6
VTSE 65	31	8	M14x1.5	65	6	12	22	6
VTSE 85	35	8	M14x1.5	85	7.6	12	22	6
VTSE 105	36	8	M14x1.5	105	10	12	22	6
VTSE 135	43	10	M14x1.5	135	12.3	12	22	6




Art.	A	B	D	E	L	CH
VTSF 35	23.2	6	35	3	32	17
VTSF 45	28	6	45	4	32	17
VTSF 55	27.5	8	55	5	32	22
VTSF 65	30.5	8	65	6	32	22
VTSF 85	34.5	8	85	7.6	32	22
VTSF 105	35.5	8	105	10	32	22
VTSF 135	42.5	10	135	12.3	32	22

Ventose a soffietto


Bellows suction cups




Art.	D	dn	Fil.1	H	CH	Z
VTBA 25	25	6	1/4"	25	17	5,8
VTBA 35	35	6	1/4"	28	17	9
VTBA 45	45	6	1/4"	29	17	10
VTBA 55	55	8	3/8"	37	22	11,5
VTBA 65	65	8	3/8"	41,5	22	14,5
VTBA 85	85	8	3/8"	50	22	22
VTBA 105	105	8	3/8"	57	22	26
VTBA 135	135	10	3/8"	69,7	22	32




Art.	D	dn	Fil.1	H	LG1	CH	CH1	Z
VTBB 25	25	6	3/8"	41	9,5	17	22	5,8
VTBB 35	35	6	3/8"	44	9,5	17	22	9
VTBB 45	45	6	3/8"	44	9,5	17	22	10
VTBB 55	55	8	1/4"	42	15	22	19	11,5
VTBB 65	65	8	1/4"	46,5	15	22	19	14,5
VTBB 85	85	8	1/4"	55	15	22	19	22
VTBB 105	105	8	1/4"	62	15	22	19	26
VTBB 135	135	10	1/4"	74,7	15	22	19	32




Art.	D	dn	Fil.1	H	LG1	CH	CH1	Z
VTBC 25	25	6	1/4"	25	10	17	6	5,8
VTBC 35	35	6	1/4"	28	10	17	6	9
VTBC 45	45	6	1/4"	29	10	17	6	10
VTBC 55	55	8	1/4"	37	10	22	6	11,5
VTBC 65	65	8	1/4"	41,5	10	22	6	14,5
VTBC 85	85	8	1/4"	50	10	22	6	22
VTBC 105	105	8	1/4"	57	10	22	6	26
VTBC 135	135	10	1/4"	69,7	10	22	6	32



Art.	D	dn	Fil.1	H	LG1	CH	CH1	Z
VTBD 25	25	6	M10	25	12	17	4	5,8
VTBD 35	35	6	M10	28	12	17	4	9
VTBD 45	45	6	M10	29	12	17	4	10
VTBD 55	55	8	M10	37	12	22	4	11,5
VTBD 65	65	8	M10	41,5	12	22	4	14,5
VTBD 85	85	8	M10	50	12	22	4	22
VTBD 105	105	8	M10	57	12	22	4	26
VTBD 135	135	10	M10	69,7	12	22	4	32




Art.	D	dn	Fil.1	H	LG1	CH	CH1	Z
VTBE 25	25	6	M14x1,5	25	12	17	6	5,8
VTBE 35	35	6	M14x1,5	28	12	17	6	9
VTBE 45	45	6	M14x1,5	29	12	17	6	10
VTBE 55	55	8	M14x1,5	37	12	22	6	11,5
VTBE 65	65	8	M14x1,5	41,5	12	22	6	14,5
VTBE 85	85	8	M14x1,5	50	12	22	6	22
VTBE 105	105	8	M14x1,5	57	12	22	6	26
VTBE 135	135	10	M14x1,5	69,7	12	22	6	32




Art.	D	dn	H	CH	L2	Z
VTBF 25	25	6	28,2	17	32	5,8
VTBF 35	35	6	31,2	17	32	9
VTBF 45	45	6	31,2	17	32	10
VTBF 55	55	8	36,5	22	32	11,5
VTBF 65	65	8	41	22	32	14,5
VTBF 85	85	8	49,5	22	32	22
VTBF 105	105	8	56,5	22	32	26
VTBF 135	135	10	69,2	22	32	32

Ventose ovali piane


Oval flat suction cups




Art.	L	A	F	H
VTOSA 53	53	18	1/8"	19,5
VTOSA 65	65	25	1/8"	12
VTOSA 85	85	42	1/8"	14
VTOSA 95	95	35	1/8"	12,7
VTOSA 105	105	52	1/4"	15,7
VTOSA 123	123	60	1/4"	18
VTOSA 145	145	72	1/4"	19




Art.	L	A	F	H
VTOSB 53	53	18	1/4"	33
VTOSB 65	65	25	1/4"	25,5
VTOSB 85	85	42	1/4"	27,5
VTOSB 95	95	35	1/4"	26,2
VTOSB 105	105	52	1/4"	29,3
VTOSB 123	123	60	1/4"	31,6
VTOSB 145	145	72	1/4"	32,6




Art.	L	A	F	H
VTOSC 53	53	18	3/8"	34
VTOSC 65	65	25	3/8"	26,5
VTOSC 85	85	42	3/8"	28,5
VTOSC 95	95	35	3/8"	27,2
VTOSC 105	105	52	3/8"	30,2
VTOSC 123	123	60	3/8"	32,5
VTOSC 145	145	72	3/8"	33,5




Art.	L	A	F	H
VTOSD 53	53	18	1/4"	34
VTOSD 65	65	25	1/4"	26,5
VTOSD 85	85	42	1/4"	28,5
VTOSD 95	95	35	1/4"	27,2
VTOSD 105	105	52	1/4"	30,2
VTOSD 123	123	60	1/4"	32,5
VTOSD 145	145	72	1/4"	33,5



Art.	L	A	F	H
VT0SE 53	53	18	M10x1,5	38
VT0SE 65	65	25	M10x1,5	30,5
VT0SE 85	85	42	M10x1,5	32,5
VT0SE 95	95	35	M10x1,5	31,2
VT0SE 105	105	52	M10x1,5	34,2
VT0SE 123	123	60	M10x1,5	36,5
VT0SE 145	145	72	M10x1,5	37,5




Art.	L	A	F	H
VT0SF 53	53	18	M14x1,5	40
VT0SF 65	65	25	M14x1,5	32,5
VT0SF 85	85	42	M14x1,5	34,5
VT0SF 95	95	35	M14x1,5	33,2
VT0SF 105	105	52	M14x1,5	36,2
VT0SF 123	123	60	M14x1,5	38,5
VT0SF 145	145	72	M14x1,5	39,5




Art.	L	A	F	H
VT0SG 53	53	18	32	29,6
VT0SG 65	65	25	32	22,1
VT0SG 85	85	42	32	24,1
VT0SG 95	95	35	32	22,8
VT0SG 105	105	52	32	25,8
VT0SG 123	123	60	32	28,1
VT0SG 145	145	72	32	29,1

Ventose ovali a soffietto


Oval bellows suction cups




Art.	L	A	F	H
VT0BA 65	65	33	1/8"	19,85
VT0BA 85	85	42	1/8"	23,2
VT0BA 115	115	59	1/4"	27,7
VT0BA 145	145	72	1/4"	30,65




Art.	L	A	F	H
VT0BB 65	65	33	1/4"	33,35
VT0BB 85	85	42	1/4"	36,7
VT0BB 115	115	59	1/4"	41,3
VT0BB 145	145	72	1/4"	44,25




Art.	L	A	F	H
VT0BC 65	65	33	3/8"	34,35
VT0BC 85	85	42	3/8"	37,7
VT0BC 115	115	59	3/8"	42,2
VT0BC 145	145	72	3/8"	45,15




Art.	L	A	F	H
VT0BD 65	65	33	1/4"	34,35
VT0BD 85	85	42	1/4"	37,7
VT0BD 115	115	59	1/4"	42,2
VT0BD 145	145	72	1/4"	45,15



Art.	L	A	F	H
VTOBE 65	65	33	M10x1,5	38,35
VTOBE 85	85	42	M10x1,5	41,7
VTOBE 115	115	59	M10x1,5	46,2
VTOBE 145	145	72	M10x1,5	49,15



Art.	L	A	F	H
VTOBF 65	65	33	M14x1,5	40,35
VTOBF 85	85	42	M14x1,5	43,7
VTOBF 115	115	59	M14x1,5	48,2
VTOBF 145	145	72	M14x1,5	51,15



Art.	L	A	F	H
VTOBG 65	65	33	32	29,95
VTOBG 85	85	42	32	33,3
VTOBG 115	115	59	32	37,8
VTOBG 145	145	72	32	40,75

Ventose VTL-VTBL


VTL-VTBL suction cups



VENTOSE
SUCTION CUPS


Ventose sferiche - Serie VTL

Spherical suction cups - VTL Series




art. VTLA

Art.	D	d	F	H	CH	h1
VTLA 35	35	6	1/4"	20	17	3
VTLA 45	45	6	1/4"	22	17	4
VTLA 55	55	6	3/8"	28	22	5
VTLA 65	65	6	3/8"	31	22	6
VTLA 85	85	6	3/8"	35	22	7,6



art. VTLB

Art.	D	d	F	H	CH	h1	CH1	h2
VTLB 35	35	6	3/8"	36	17	3	22	9
VTLB 45	45	6	3/8"	38	17	4	22	9
VTLB 55	55	6	1/4"	33	22	5	20	15
VTLB 65	65	6	1/4"	36	22	6	20	15
VTLB 85	85	6	1/4"	40	22	7,6	20	15



art. VTLC


Art.	D	d	F	H	CH	h1	CH1	h2
VTLC 35	35	6	1/4"	20	17	3	6	10
VTLC 45	45	6	1/4"	22	17	4	6	10
VTLC 55	55	6	1/4"	28	22	5	6	10
VTLC 65	65	6	1/4"	31	22	6	6	10
VTLC 85	85	6	1/4"	35	22	7,6	6	10

Ventose a soffietto - Serie VTBL

Bellow suction cups - VTBL Series




VENTOSE
SUCTION CUPS




art. VTBLA

Art.	D	d	F	H	CH	h
VTBLA 32	32	6	1/4"	28	17	9
VTBLA 42	42	6	1/4"	29	17	10
VTBLA 52	52	8	3/8"	37	22	11,5
VTBLA 63	63	8	3/8"	41,5	22	14,5
VTBLA 85	85	8	3/8"	35	22	22



art. VTBLB

Art.	D	d	F	H	CH	CH1	h
VTBLB 32	35	6	3/8"	44	17	22	9
VTBLB 42	45	6	3/8"	44	17	22	10
VTBLB 52	55	8	1/4"	42	22	19	11,5
VTBLB 63	65	8	1/4"	46,5	22	19	14,5
VTBLB 85	85	8	1/4"	55	22	19	22



art. VTBLC

Art.	D	d	F	H	CH	CH1	h
VTBLC 32	35	6	1/4"	28	17	6	9
VTBLC 42	45	6	1/4"	29	17	6	10
VTBLC 52	55	8	1/4"	37	22	6	11,5
VTBLC 63	65	8	1/4"	41,5	22	6	14,5
VTBLC 85	85	8	1/4"	50	22	6	22

Ventose VC-LINE

VC-LINE suction cups




Ventose sferiche

senza supporto

Spherical suction cups

without support



art. VC


Art.	A	B	C	D	E
VC 30	36	14	9	30	5
VC 42	37	18	12	42	5
VC 50	40	20	12	50	6
VC 60	42	22	12	60	6
VC 80	45	26	12	80	6
VC 100	50	28	12	100	6

Ventose sferiche

con supporto maschio

Spherical suction cups

with male support



art. VCM

Art.	A	B	C	D	E	F	G
VCM 30	36	1/4	6	30	5	5	8
VCM 42	37	1/4	6	42	5	5	8
VCM 50	40	1/4	6	50	6	5	8
VCM 60	42	1/4	6	60	6	5	8
VCM 80	45	1/4	6	80	6	5	8
VCM 100	50	1/4	6	100	6	5	8

Ventose sferiche


con filetto femmina vulcanizzato interno

Spherical suction cups

with female vulcanized thread



VENTOSE
SUCTION CUPS



art. VCF


Art.	A	B	C	D	E
VCF 30	36	14	1/8	30	5
VCF 42	37	18	1/4	42	5
VCF 50	40	20	1/4	50	6
VCF 60	42	22	1/4	60	6
VCF 80	45	26	1/4	80	6
VCF 100	50	28	1/4	100	6

Ventose piane

senza supporto

Flat suction cups

without support




art. VCP

Art.	A	B	C	D	E
VCP 25	55	12	8	25	35
VCP 30/1	28	16	10	30	6
VCP 30	38	18	12	30	5
VCP 40	40	20	12	40	5
VCP 50	43	22	12	50	6
VCP 60	45	24	12	60	6
VCP 80	50	26	12	80	6

Ventose piane con supporto maschio

Flat suction cups
with male support




art. VCPM

Art.	A	B	C	D	E	F	G
VCPM 30	38	1/4	6	30	5	5	8
VCPM 40	40	1/4	6	40	5	5	8
VCPM 50	43	1/4	6	50	6	5	8
VCPM 60	45	1/4	6	60	6	5	8
VCPM 80	50	1/4	6	80	6	5	8

Ventose piane con filetto femmina vulcanizzato interno

Flat suction cups
with female vulcanized thread



art. VCPF

Art.	A	B	C	D	E
VCPF 30	38	18	1/4	30	5
VCPF 40	40	20	1/4	40	5
VCPF 50	43	22	1/4	50	6
VCPF 60	45	24	1/4	60	6
VCPF 80	50	26	1/4	80	6

Ventose F-LINE piane con raggi - Serie AM - AF

F-LINE finned flat suction cup - AM - AF Series




VENTOSE
SUCTION CUPS

Ventose piane con raggi - Serie AM 15

senza supporto

Finned flat suction cup - AM 15 Series

without support




Art.	A	B	C	D
AM 15 45	11	8	3,8	16,5

Ventose piane con raggi - Serie AM 15

con supporto

Finned flat suction cup - AM 15 Series


with support




Art =	Ventosa S. cup	+ Supporto + Support	A	B	C	D	E	F
AM 15 40	AM 15 45	+ SUM 41	15,5	5 MA	11	16,5	4	5,5

Ventose piane con raggi - Serie AF 20


Finned flat suction cup - AF 20 Series




art. AF 20 45




art. AF 20 00



art. AF 20 20



art. AF 20 40



art. AF 20 60

con filtro
with filter

art. AF 20 61


con filtro e valvola
with filter and check valve

art. AF 20 63

senza filtro
without filter

art. AF 20 64

con valvola senza filtro
with check valve without filter



art. AF 20 90

con filtro
with filter

art. AF 20 91

con valvola
with check valve

art. AF 20 93


senza filtro
without filter

Ventose piane con raggi - Serie AF 25


Finned flat suction cup - AF 25 Series




VENTOSE
SUCTION CUPS




art. AF 25 45




art. AF 25 00



art. AF 25 20



art. AF 25 40




art. AF 25 60
con filtro
with filter

art. AF 25 61
con filtro e valvola
with filter and check valve

art. AF 25 63
senza filtro
without filter

art. AF 25 64
con valvola senza filtro
with check valve without filter




art. AF 25 90
con filtro
with filter

art. AF 25 91
con valvola
with check valve


art. AF 25 93
senza filtro
without filter

Ventose piane con raggi - Serie AF 30


Finned flat suction cup - AF 30 Series




art. AF 30 45




art. AF 30 00




art. AF 30 20



art. AF 30 40



art. AF 30 50




art. AF 30 60
con filtro
with filter

art. AF 30 61
con filtro e valvola
with filter and check valve


art. AF 30 63
senza filtro
without filter

art. AF 30 64
con valvola senza filtro
with check valve without filter



art. AF 30 62
con tastatore e filtro
with button valve and filter


art. AF 30 65
con tastatore senza filtro
with button valve without filter



art. AF 30 90
con filtro
with filter

art. AF 30 91
con valvola
with check valve

art. AF 30 93
senza filtro
without filter



art. AF 30 92
con tastatore e filtro
with button valve and filter


art. AF 30 95
con tastatore senza filtro
with button valve without filter




Ventose piane con raggi - Serie AF 40

Finned flat suction cup - AF 40 Series


VENTOSE
SUCTION CUPS




art. AF 40 45




art. AF 40 00




art. AF 40 20




art. AF 40 40




art. AF 40 50



- art. AF 40 70
con filtro
with filter
- art. AF 40 71
con filtro e valvola
with filter and check valve
- art. AF 40 73
senza filtro
without filter
- art. AF 40 74
con valvola senza filtro
with check valve without filter



- art. AF 40 72
con tastatore e filtro
with button valve and filter
- art. AF 40 75
con tastatore senza filtro
with button valve without filter




art. AF 40 80
con filtro
with filter

art. AF 40 81
con filtro e valvola
with filter and check valve


art. AF 40 83
senza filtro
without filter

art. AF 40 84
con valvola senza filtro
with check valve without filter



art. AF 40 82
con tastatore e filtro
with button valve and filter


art. AF 40 85
con tastatore senza filtro
with button valve without filter



art. AF 40 90
con filtro
with filter

art. AF 40 91
con valvola
with check valve

art. AF 40 93
senza filtro
without filter



art. AF 40 92
con tastatore e filtro
with button valve and filter


art. AF 40 95
con tastatore senza filtro
with button valve without filter




Ventose piane con raggi - Serie AF 50

Finned flat suction cup - AF 50 Series


VENTOSE
SUCTION CUPS




art. AF 50 45




art. AF 50 00




art. AF 50 20



art. AF 50 40



art. AF 50 50




art. AF 50 70
con filtro
with filter

art. AF 50 71
con filtro e valvola
with filter and check valve


art. AF 50 73
senza filtro
without filter

art. AF 50 74
con valvola senza filtro
with check valve without filter



art. AF 50 72
con tastatore e filtro
with button valve and filter

art. AF 50 75
con tastatore senza filtro
with button valve without filter




art. AF 50 80
con filtro
with filter

art. AF 50 81
con filtro e valvola
with filter and check valve


art. AF 50 83
senza filtro
without filter

art. AF 50 84
con valvola senza filtro
with check valve without filter



art. AF 50 82
con tastatore e filtro
with button valve and filter


art. AF 50 85
con tastatore senza filtro
with button valve without filter



art. AF 50 90
con filtro
with filter

art. AF 50 91
con valvola
with check valve

art. AF 50 93
senza filtro
without filter



art. AF 50 92
con tastatore e filtro
with button valve and filter


art. AF 50 95
con tastatore senza filtro
with button valve without filter

Ventose piane con raggi - Serie AF 63


Finned flat suction cup - AF 63 Series




VENTOSE
SUCTION CUPS




art. AF 63 45



cod.	øA
AF 63 42	3/8"
AF 63 43	1/2"




art. AF 63 62




art. AF 63 52

Ventose piane con raggi - Serie AF 75


Finned flat suction cup - AF 75 Series




art. AF 75 45




art. AF 75 40




art. AF 75 50



cod.	øA
AF 75 42	3/8"
AF 75 43	1/2"




art. AF 75 62




art. AF 75 52

Ventose piane con raggi - Serie AF 110


Finned flat suction cup - AF 110 Series




art. AF 110 45




art. AF 110 40




art. AF 110 50



cod.	øA
AF 110 42	3/8"
AF 110 43	1/2"




art. AF 110 63




art. AF 110 53

Ventose piane con raggi - Serie AF 150


Finned flat suction cup - AF 150 Series




art. AF 150 45




art. AF 150 40




art. AF 150 50



cod.	øA
AF 150 42	1/2"
AF 150 43	3/4"



art. AF 150 62



art. AF 150 52

Supporti per ventose - Serie AF

Fittings for suction cups - AF Series

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>	+ Anello di rinforzo <i>Reinforcement ring</i>
AF 20 00	AF 20 45	SUF 30 00	SUF 30 19
AF 20 20	AF 20 45	SUF 30 18	SUF 30 19
AF 20 40	AF 20 45	SUF 30 10	-
AF 20 60	AF 20 45	SUF 30 60	SUF 30 19
AF 20 61	AF 20 45	SUF 30 61	SUF 30 19
AF 20 63	AF 20 45	SUF 30 63	SUF 30 19
AF 20 64	AF 20 45	SUF 30 64	SUF 30 19
AF 20 90	AF 20 45	SUF 30 90	SUF 30 19
AF 20 91	AF 20 45	SUF 30 91	SUF 30 19
AF 20 93	AF 20 45	SUF 30 93	SUF 30 19
AF 25 00	AF 25 45	SUF 30 00	SUF 30 19
AF 25 20	AF 25 45	SUF 30 18	SUF 30 19
AF 25 40	AF 25 45	SUF 30 10	-
AF 25 60	AF 25 45	SUF 30 60	SUF 30 19
AF 25 61	AF 25 45	SUF 30 61	SUF 30 19
AF 25 63	AF 25 45	SUF 30 63	SUF 30 19
AF 25 64	AF 25 45	SUF 30 64	SUF 30 19
AF 25 90	AF 25 45	SUF 30 90	SUF 30 19
AF 25 91	AF 25 45	SUF 30 91	SUF 30 19
AF 25 93	AF 25 45	SUF 30 93	SUF 30 19
AF 30 00	AF 30 45	SUF 30 00	SUF 30 19
AF 30 20	AF 30 45	SUF 30 18	SUF 30 19
AF 30 40	AF 30 45	SUF 30 10	-
AF 30 50	AF 30 45	SUF 30 50	-
AF 30 60	AF 30 45	SUF 30 60	SUF 30 19
AF 30 61	AF 30 45	SUF 30 61	SUF 30 19
AF 30 62	AF 30 45	SUF 30 62	SUF 30 19
AF 30 63	AF 30 45	SUF 30 63	SUF 30 19
AF 30 64	AF 30 45	SUF 30 64	SUF 30 19
AF 30 65	AF 30 45	SUF 30 65	SUF 30 19
AF 30 90	AF 30 45	SUF 30 90	SUF 30 19
AF 30 91	AF 30 45	SUF 30 91	SUF 30 19
AF 30 92	AF 30 45	SUF 30 92	SUF 30 19
AF 30 93	AF 30 45	SUF 30 93	SUF 30 19
AF 30 95	AF 30 45	SUF 30 95	SUF 30 19
AF 40 00	AF 40 45	SUF 40 00	SUF 40 19
AF 40 20	AF 40 45	SUF 40 18	SUF 40 19
AF 40 50	AF 40 45	SUF 40 50	-
AF 40 40	AF 40 45	SUF 40 10	-
AF 40 70	AF 40 45	SUF 40 70	SUF 40 19
AF 40 71	AF 40 45	SUF 40 71	SUF 40 19
AF 40 72	AF 40 45	SUF 40 72	SUF 40 19
AF 40 73	AF 40 45	SUF 40 73	SUF 40 19
AF 40 74	AF 40 45	SUF 40 74	SUF 40 19
AF 40 75	AF 40 45	SUF 40 75	SUF 40 19
AF 40 80	AF 40 45	SUF 40 80	SUF 40 19
AF 40 81	AF 40 45	SUF 40 81	SUF 40 19
AF 40 82	AF 40 45	SUF 40 82	SUF 40 19
AF 40 83	AF 40 45	SUF 40 83	SUF 40 19
AF 40 84	AF 40 45	SUF 40 84	SUF 40 19
AF 40 85	AF 40 45	SUF 40 85	SUF 40 19
AF 40 90	AF 40 45	SUF 40 90	SUF 40 19
AF 40 91	AF 40 45	SUF 40 91	SUF 40 19
AF 40 92	AF 40 45	SUF 40 92	SUF 40 19
AF 40 93	AF 40 45	SUF 40 93	SUF 40 19
AF 40 95	AF 40 45	SUF 40 95	SUF 40 19

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>	+ Anello di rinforzo <i>Reinforcement ring</i>
AF 50 00	AF 50 45	SUF 50 00	SUF 50 19
AF 50 20	AF 50 45	SUF 50 18	SUF 50 19
AF 50 40	AF 50 45	SUF 50 10	-
AF 50 50	AF 50 45	SUF 50 50	-
AF 50 70	AF 50 45	SUF 50 70	SUF 50 19
AF 50 71	AF 50 45	SUF 50 71	SUF 50 19
AF 50 72	AF 50 45	SUF 50 72	SUF 50 19
AF 50 73	AF 50 45	SUF 50 73	SUF 50 19
AF 50 74	AF 50 45	SUF 50 74	SUF 50 19
AF 50 75	AF 50 45	SUF 50 75	SUF 50 19
AF 50 80	AF 50 45	SUF 50 80	SUF 50 19
AF 50 81	AF 50 45	SUF 50 81	SUF 50 19
AF 50 82	AF 50 45	SUF 50 82	SUF 50 19
AF 50 83	AF 50 45	SUF 50 83	SUF 50 19
AF 50 84	AF 50 45	SUF 50 84	SUF 50 19
AF 50 85	AF 50 45	SUF 50 85	SUF 50 19
AF 50 90	AF 50 45	SUF 50 90	SUF 50 19
AF 50 91	AF 50 45	SUF 50 91	SUF 50 19
AF 50 92	AF 50 45	SUF 50 92	SUF 50 19
AF 50 93	AF 50 45	SUF 50 93	SUF 50 19
AF 50 95	AF 50 45	SUF 50 95	SUF 50 19
AF 63 42	AF 63 45	SUF 63 42	-
AF 63 43	AF 63 45	SUF 63 43	-
AF 63 62	AF 63 45	SUF 63 62	-
AF 63 52	AF 63 45	SUF 63 52	-
AF 75 40	AF 75 45	SUF 75 10	-
AF 75 42	AF 75 45	SUF 75 42	-
AF 75 43	AF 75 45	SUF 75 43	-
AF 75 50	AF 75 45	SUF 75 50	-
AF 75 62	AF 75 45	SUF 75 62	-
AF 75 52	AF 75 45	SUF 75 52	-
AF 110 40	AF 110 45	SUF 110 10	-
AF 110 42	AF 110 45	SUF 110 42	-
AF 110 43	AF 110 45	SUF 110 43	-
AF 110 50	AF 110 45	SUF 110 50	-
AF 110 62	AF 110 45	SUF 110 62	-
AF 110 52	AF 110 45	SUF 110 52	-
AF 150 40	AF 150 45	SUF 150 10	-
AF 150 42	AF 150 45	SUF 150 42	-
AF 150 43	AF 150 45	SUF 150 43	-
AF 150 50	AF 150 45	SUF 150 50	-
AF 150 62	AF 150 45	SUF 150 62	-
AF 150 52	AF 150 45	SUF 150 52	-

Ventose F-LINE a soffietto - Serie BM - BF

F-LINE bellows suction cups
BM - BF Series




VENTOSE
SUCTION CUPS

Ventose a soffietto - Serie BM 05÷16

senza supporto

Bellows suction cups - BM 05÷16 Series
without support




Art.	A	B0	C0	D0	E0
BM 05 35	9	4,5	2	5,5	2
BM 08 35	12,5	5,5	2	8,5	3,5
BM 11 35V	17	8	3,8	11	6
BM 11 35	17	8	3,8	11	3,6
BM 16 35	19,5	8	3,8	16	8

Ventose a soffietto - Serie BM 05÷16

con supporto


Bellows suction cups - BM 05÷16 Series
with support




Art =	Ventosa S. cup	+ Supporto + Support	A	B	C	D	E	F	G
BM 05 30	BM 05 35	+ SUM 40	18	5 MA	9	5,5	4,5	4,5	3
BM 08 30	BM 08 35	+ SUM 40	21,5	5 MA	12,5	8,5	4,5	4,5	5,5
BM 11 30V	BM 11 35V	+ SUM 41	26	5 MA	17	11	4,5	4,5	7
BM 11 30	BM 11 35	+ SUM 41	26	5 MA	17	11	4,5	4,5	7
BM 16 30	BM 16 35	+ SUM 41	29	5 MA	20	16	4,5	4,5	10

Ventose a soffietto - Serie BF 20


Bellows suction cups - BF 20 Series




art. BF 20 35




art. BF 20 00



art. BF 20 20



art. BF 20 30




art. BF 20 60
con filtro
with filter

art. BF 20 61
con filtro e valvola
with filter and check valve

art. BF 20 63
senza filtro
without filter

art. BF 20 64
con valvola senza filtro
with check valve without filter



art. BF 20 90
con filtro
with filter


art. BF 20 91
con valvola
with check valve

art. BF 20 93
senza filtro
without filter




Ventose a soffietto - Serie BF 30


Bellows suction cups - BF 30 Series




art. BF 30 35




art. BF 30 00



art. BF 30 20



art. BF 30 30




art. BF 30 60
con filtro
with filter

art. BF 30 61
con filtro e valvola
with filter and check valve

art. BF 30 63
senza filtro
without filter

art. BF 30 64
con valvola senza filtro
with check valve without filter




art. BF 30 90
con filtro
with filter

art. BF 30 91
con valvola
with check valve


art. BF 30 93
senza filtro
without filter

Ventose a soffietto - Serie BF 40


Bellows suction cups - BF 40 Series




art. BF 40 35




art. BF 40 00



art. BF 40 20



art. BF 40 30




art. BF 40 70
con filtro
with filter

art. BF 40 71
con filtro e valvola
with filter and check valve

art. BF 40 73
senza filtro
without filter

art. BF 40 74
con valvola senza filtro
with check valve without filter




art. BF 40 80
con filtro
with filter

art. BF 40 81
con filtro e valvola
with filter and check valve

art. BF 40 83
senza filtro
without filter

art. BF 40 84
con valvola senza filtro
with check valve without filter



art. BF 40 90
con filtro
with filter

art. BF 40 91
con valvola
with check valve


art. BF 40 93
senza filtro
without filter




Ventose a soffietto - Serie BF 50

Bellows suction cups - BF 50 Series


VENTOSE
SUCTION CUPS




art. BF 50 35




art. BF 50 00



art. BF 50 20



art. BF 50 30




art. BF 50 70
con filtro
with filter

art. BF 50 71
con filtro e valvola
with filter and check valve

art. BF 50 73
senza filtro
without filter

art. BF 50 74
con valvola senza filtro
with check valve without filter




art. BF 50 80
con filtro
with filter

art. BF 50 81
con filtro e valvola
with filter and check valve

art. BF 50 83
senza filtro
without filter

art. BF 50 84
con valvola senza filtro
with check valve without filter




art. BF 50 90
con filtro
with filter

art. BF 50 91
con valvola
with check valve


art. BF 50 93
senza filtro
without filter

Ventose a soffietto - Serie BF 63

Bellows suction cups - BF 63 Series



art. BF 63 35




cod.	øA
BF 63 32	3/8"
BF 63 33	1/2"




Ventose a soffietto - Serie BF 75

Bellows suction cups - BF 75 Series


VENTOSE
SUCTION CUPS



art. BF 75 35




art. BF 75 30




cod.	øA
BF 75 32	3/8"
BF 75 33	1/2"

Ventose a soffietto - Serie BF 78


Bellows suction cups - BF 78 Series



art. BF 78 35




art. BF 78 30




con filtro interno
with internal filter

art. BF 78 31




cod.	øA
BF 78 32	3/8"
BF 78 33	1/2"




con filtro interno with internal filter	cod.	øA
	BF 78 321	3/8"
	BF 78 331	1/2"

Ventose a soffietto - Serie BF 110


Bellows suction cups - BF 110 Series



art. BF 110 35



art. BF 110 30




cod.	øA
BF 110 32	3/8"
BF 110 33	1/2"

Ventose a soffietto - Serie BF 115


Bellows suction cups - BF 115 Series




VENTOSE
SUCTION CUPS



art. BF 115 35




art. BF 115 30




con filtro interno
with internal filter

art. BF 115 31



cod.	øA
BF 115 32	3/8"
BF 115 33	1/2"



cod.	øA
BF 115 321	3/8"
BF 115 331	1/2"


con filtro interno
with internal filter




Ventose a soffietto - Serie BF 150

Bellows suction cups - BF 150 Series


VENTOSE
SUCTION CUPS



art. BF 150 35




art. BF 150 30




cod.	øA
BF 150 32	1/2"
BF 150 33	3/4"

Ventose a soffietto - Serie BF 160


Bellows suction cups - BF 160 Series



art. BF 160 35




art. BF 160 30




con filtro interno
with internal filter

art. BF 160 31



cod.	øA
BF 160 32	1/2"
BF 160 33	3/4"



con filtro interno
with internal filter

cod.	øA
BF 160 321	1/2"
BF 160 331	3/4"

Supporti per ventose - Serie BF

Fittings for suction cups - BF Series

Art =	Ventosa Suction cup	+ Supporto + Fitting	+ Anello di rinforzo Reinforcement ring
BF 20 00	BF 20 35	SUF 30 00	SUF 30 19
BF 20 20	BF 20 35	SUF 30 18	SUF 30 19
BF 20 30	BF 20 35	SUF 30 10	-
BF 20 60	BF 20 35	SUF 30 60	SUF 30 19
BF 20 61	BF 20 35	SUF 30 61	SUF 30 19
BF 20 63	BF 20 35	SUF 30 63	SUF 30 19
BF 20 64	BF 20 35	SUF 30 64	SUF 30 19
BF 20 90	BF 20 35	SUF 30 90	SUF 30 19
BF 20 91	BF 20 35	SUF 30 91	SUF 30 19
BF 20 93	BF 20 35	SUF 30 93	SUF 30 19
BF 30 00	BF 30 35	SUF 30 00	SUF 30 19
BF 30 20	BF 30 35	SUF 30 18	SUF 30 19
BF 30 30	BF 30 35	SUF 30 10	-
BF 30 60	BF 30 35	SUF 30 60	SUF 30 19
BF 30 61	BF 30 35	SUF 30 61	SUF 30 19
BF 30 63	BF 30 35	SUF 30 63	SUF 30 19
BF 30 64	BF 30 35	SUF 30 64	SUF 30 19
BF 30 90	BF 30 35	SUF 30 90	SUF 30 19
BF 30 91	BF 30 35	SUF 30 91	SUF 30 19
BF 30 93	BF 30 35	SUF 30 93	SUF 30 19
BF 40 00	BF 40 35	SUF 40 00	SUF 40 19
BF 40 20	BF 40 35	SUF 40 18	SUF 40 19
BF 40 30	BF 40 35	SUF 40 10	-
BF 40 70	BF 40 35	SUF 40 70	SUF 40 19
BF 40 71	BF 40 35	SUF 40 71	SUF 40 19
BF 40 73	BF 40 35	SUF 40 73	SUF 40 19
BF 40 74	BF 40 35	SUF 40 74	SUF 40 19
BF 40 80	BF 40 35	SUF 40 80	SUF 40 19
BF 40 81	BF 40 35	SUF 40 81	SUF 40 19
BF 40 83	BF 40 35	SUF 40 83	SUF 40 19
BF 40 84	BF 40 35	SUF 40 84	SUF 40 19
BF 40 90	BF 40 35	SUF 40 90	SUF 40 19
BF 40 91	BF 40 35	SUF 40 91	SUF 40 19
BF 40 93	BF 40 35	SUF 40 93	SUF 40 19
BF 50 00	BF 50 35	SUF 50 00	SUF 50 19
BF 50 20	BF 50 35	SUF 50 18	SUF 50 19
BF 50 30	BF 50 35	SUF 50 10	-
BF 50 70	BF 50 35	SUF 50 70	SUF 50 19
BF 50 71	BF 50 35	SUF 50 71	SUF 50 19
BF 50 73	BF 50 35	SUF 50 73	SUF 50 19
BF 50 74	BF 50 35	SUF 50 74	SUF 50 19
BF 50 80	BF 50 35	SUF 50 80	SUF 50 19
BF 50 81	BF 50 35	SUF 50 81	SUF 50 19
BF 50 83	BF 50 35	SUF 50 83	SUF 50 19
BF 50 84	BF 50 35	SUF 50 84	SUF 50 19
BF 50 90	BF 50 35	SUF 50 90	SUF 50 19
BF 50 91	BF 50 35	SUF 50 91	SUF 50 19
BF 50 93	BF 50 35	SUF 50 93	SUF 50 19

Art =	Ventosa Suction cup	+ Supporto + Fitting	+ Anello di rinforzo Reinforcement ring
BF 63 32	BF 63 35	SUF 63 32	-
BF 63 33	BF 63 35	SUF 63 33	-
BF 75 30	BF 75 35	SUF 75 10	-
BF 75 32	BF 75 35	SUF 75 32	-
BF 75 33	BF 75 35	SUF 75 33	-
BF 78 30	BF 78 35	SUF 75 10	-
BF 78 31	BF 78 35	SUF 75 10	-
Disco interno / Internal disc: SUF 75 06			
BF 78 32	BF 78 35	SUF 75 32	
BF 78 33	BF 78 35	SUF 75 33	
BF 78 321	BF 78 35	SUF 75 32	-
Disco interno / Internal disc: SUF 75 06			
BF 78 331	BF 78 35	SUF 75 33	-
Disco interno / Internal disc: SUF 75 06			
BF 110 30	BF 110 35	SUF 110 10	-
BF 110 32	BF 110 35	SUF 110 32	-
BF 110 33	BF 110 35	SUF 110 33	-
BF 115 30	BF 115 35	SUF 110 10	-
BF 115 31	BF 115 35	SUF 110 10	-
Disco interno / Internal disc: SUF 115 06			
BF 115 32	BF 115 35	SUF 110 32	-
BF 115 33	BF 115 35	SUF 110 33	-
BF 115 321	BF 115 35	SUF 110 32	-
Disco interno / Internal disc: SUF 115 06			
BF 115 331	BF 115 35	SUF 110 33	-
Disco interno / Internal disc: SUF 115 06			
BF 150 30	BF 150 35	SUF 150 10	-
BF 150 32	BF 150 35	SUF 150 32	-
BF 150 33	BF 150 35	SUF 150 33	-
BF 160 30	BF 160 35	SUF 150 10	-
BF 160 31	BF 160 35	SUF 150 10	-
Disco interno / Internal disc: SUF 160 06			
BF 160 32	BF 160 35	SUF 150 32	-
BF 160 33	BF 160 35	SUF 150 33	-
BF 160 321	BF 160 35	SUF 150 32	-
Disco interno / Internal disc: SUF 160 06			
BF 160 331	BF 160 35	SUF 150 33	-
Disco interno / Internal disc: SUF 160 06			

Ventose F-LINE piane senza raggi - Serie CM - CF

F-LINE not finned flat suction cup - CM - CF Series




Ventose piane senza raggi - Serie CM 05÷16


senza supporto

Not finned flat suction cup - CM 05÷16 Series

without support



Art.	A	B	C	D
CM 05 15	6	4,5	2	5
CM 07 15	6,5	5	2	7
CM 09 15	7	5	2	9




Art.	A	B	C	D
CM 11 15	10,5	9	3,8	11
CM 16 15	11,5	9	3,8	16,5

Ventose piane senza raggi - Serie CM 05÷16


con supporto

Not finned flat suction cup - CM 05÷16 Series

with support



Art =	Ventosa S. cup	+ Supporto + Support	A	B	C	D
CM 05 10	CM 05 15	+ SUM 40	13,5	5 MA	6	5
CM 07 10	CM 07 15	+ SUM 40	14	5 MA	6,5	7
CM 09 10	CM 09 15	+ SUM 40	14,5	5 MA	7	9




Art =	Ventosa S. cup	+ Supporto + Support	A	B	C	D
CM 11 10	CM 11 15	+ SUM 41	19	5 MA	10,5	11
CM 16 10	CM 16 15	+ SUM 41	20	5 MA	11,5	16,5

Ventose piane senza raggi - Serie CF 20


Not finned flat suction cup - CF 20 Series




VENTOSE
SUCTION CUPS




art. CF 20 15




art. CF 20 00



art. CF 20 10



art. CF 20 20




art. CF 20 60
con filtro
with filter

art. CF 20 61
con filtro e valvola
with filter and check valve

art. CF 20 63
senza filtro
without filter

art. CF 20 64
con valvola senza filtro
with check valve without filter




art. CF 20 90
con filtro
with filter

art. CF 20 91
con valvola
with check valve


art. CF 20 93
senza filtro
without filter

Ventose piane senza raggi - Serie CF 30


Not finned flat suction cup - CF 30 Series




art. CF 30 15




art. CF 30 00




art. CF 30 10



art. CF 30 20



art. CF 30 50




art. CF 30 60
con filtro
with filter

art. CF 30 61
con filtro e valvola
with filter and check valve


art. CF 30 63
senza filtro
without filter

art. CF 30 64
con valvola senza filtro
with check valve without filter



art. AF 30 62
con tastatore e filtro
with button valve and filter


art. AF 30 65
con tastatore senza filtro
with button valve without filter



art. CF 30 90
con filtro
with filter

art. CF 30 91
con valvola
with check valve

art. CF 30 93
senza filtro
without filter



art. CF 30 92
con tastatore e filtro
with button valve and filter


art. CF 30 95
con tastatore senza filtro
with button valve without filter

Ventose piane senza raggi - Serie CF 40


Not finned flat suction cup - CF 40 Series




VENTOSE
SUCTION CUPS




art. CF 40 15




art. CF 40 00




art. CF 40 10



art. CF 40 20



art. CF 40 50




art. CF 40 70
con filtro
with filter

art. CF 40 71
con filtro e valvola
with filter and check valve


art. CF 40 73
senza filtro
without filter

art. CF 40 74
con valvola senza filtro
with check valve without filter



art. CF 40 72
con tastatore e filtro
with button valve and filter

art. CF 40 75
con tastatore senza filtro
with button valve without filter




art. CF 40 80
con filtro
with filter

art. CF 40 81
con filtro e valvola
with filter and check valve


art. CF 40 83
senza filtro
without filter

art. CF 40 84
con valvola senza filtro
with check valve without filter



art. CF 40 82
con tastatore e filtro
with button valve and filter


art. CF 40 85
con tastatore senza filtro
with button valve without filter



art. CF 40 90
con filtro
with filter

art. CF 40 91
con valvola
with check valve

art. CF 40 93
senza filtro
without filter



art. CF 40 92
con tastatore e filtro
with button valve and filter


art. CF 40 95
con tastatore senza filtro
with button valve without filter

Ventose piane senza raggi - Serie CF 50


Not finned flat suction cup - CF 50 Series




VENTOSE
SUCTION CUPS




art. CF 50 15




art. CF 50 00




art. CF 50 10



art. CF 50 20



art. CF 50 50




art. CF 50 70
con filtro
with filter

art. CF 50 71
con filtro e valvola
with filter and check valve


art. CF 50 73
senza filtro
without filter

art. CF 50 74
con valvola senza filtro
with check valve without filter



art. CF 50 72
con tastatore e filtro
with button valve and filter

art. CF 50 75
con tastatore senza filtro
with button valve without filter




art. CF 50 80
con filtro
with filter

art. CF 50 81
con filtro e valvola
with filter and check valve


art. CF 50 83
senza filtro
without filter

art. CF 50 84
con valvola senza filtro
with check valve without filter



art. CF 50 82
con tastatore e filtro
with button valve and filter


art. CF 50 85
con tastatore senza filtro
with button valve without filter



art. CF 50 90
con filtro
with filter

art. CF 50 91
con valvola
with check valve

art. CF 50 93
senza filtro
without filter



art. CF 50 92
con tastatore e filtro
with button valve and with filter

art. CF 50 95
con tastatore senza filtro
with button valve without filter

Supporti per ventose - Serie CF

Fittings for suction cups - CF Series

Art =	Ventosa Suction cup	+ Supporto + Fitting	+ Anello di rinforzo Reinforcement ring
CF 20 00	CF 20 15	SUF 30 00	SUF 30 19
CF 20 10	CF 20 15	SUF 30 10	-
CF 20 20	CF 20 15	SUF 30 18	SUF 30 19
CF 20 60	CF 20 15	SUF 30 60	SUF 30 19
CF 20 61	CF 20 15	SUF 30 61	SUF 30 19
CF 20 63	CF 20 15	SUF 30 63	SUF 30 19
CF 20 64	CF 20 15	SUF 30 64	SUF 30 19
CF 20 90	CF 20 15	SUF 30 90	SUF 30 19
CF 20 91	CF 20 15	SUF 30 91	SUF 30 19
CF 20 93	CF 20 15	SUF 30 93	SUF 30 19
CF 30 00	CF 30 15	SUF 30 00	SUF 30 19
CF 30 10	CF 30 15	SUF 30 10	-
CF 30 20	CF 30 15	SUF 30 18	SUF 30 19
CF 30 50	CF 30 15	SUF 30 50	-
CF 30 60	CF 30 15	SUF 30 60	SUF 30 19
CF 30 61	CF 30 15	SUF 30 61	SUF 30 19
CF 30 62	CF 30 15	SUF 30 62	SUF 30 19
CF 30 63	CF 30 15	SUF 30 63	SUF 30 19
CF 30 64	CF 30 15	SUF 30 64	SUF 30 19
CF 30 65	CF 30 15	SUF 30 65	SUF 30 19
CF 30 90	CF 30 15	SUF 30 90	SUF 30 19
CF 30 91	CF 30 15	SUF 30 91	SUF 30 19
CF 30 92	CF 30 15	SUF 30 92	SUF 30 19
CF 30 93	CF 30 15	SUF 30 93	SUF 30 19
CF 30 95	CF 30 15	SUF 30 95	SUF 30 19
CF 40 00	CF 40 15	SUF 40 00	SUF 40 19
CF 40 10	CF 40 15	SUF 40 10	-
CF 40 20	CF 40 15	SUF 40 18	SUF 40 19
CF 40 50	CF 40 15	SUF 40 50	-
CF 40 70	CF 40 15	SUF 40 70	SUF 40 19
CF 40 71	CF 40 15	SUF 40 71	SUF 40 19
CF 40 72	CF 40 15	SUF 40 72	SUF 40 19
CF 40 73	CF 40 15	SUF 40 73	SUF 40 19
CF 40 74	CF 40 15	SUF 40 74	SUF 40 19
CF 40 75	CF 40 15	SUF 40 75	SUF 40 19
CF 40 80	CF 40 15	SUF 40 80	SUF 40 19
CF 40 81	CF 40 15	SUF 40 81	SUF 40 19
CF 40 82	CF 40 15	SUF 40 82	SUF 40 19
CF 40 83	CF 40 15	SUF 40 83	SUF 40 19
CF 40 84	CF 40 15	SUF 40 84	SUF 40 19
CF 40 85	CF 40 15	SUF 40 85	SUF 40 19
CF 40 90	CF 40 15	SUF 40 90	SUF 40 19
CF 40 91	CF 40 15	SUF 40 91	SUF 40 19
CF 40 92	CF 40 15	SUF 40 92	SUF 40 19
CF 40 93	CF 40 15	SUF 40 93	SUF 40 19
CF 40 95	CF 40 15	SUF 40 95	SUF 40 19

Art =	Ventosa Suction cup	+ Supporto + Fitting	+ Anello di rinforzo Reinforcement ring
CF 50 00	CF 50 15	SUF 50 00	SUF 50 19
CF 50 10	CF 50 15	SUF 50 10	-
CF 50 20	CF 50 15	SUF 50 18	SUF 50 19
CF 50 50	CF 50 15	SUF 50 50	-
CF 50 70	CF 50 15	SUF 50 70	SUF 50 19
CF 50 71	CF 50 15	SUF 50 71	SUF 50 19
CF 50 72	CF 50 15	SUF 50 72	SUF 50 19
CF 50 73	CF 50 15	SUF 50 73	SUF 50 19
CF 50 74	CF 50 15	SUF 50 74	SUF 50 19
CF 50 75	CF 50 15	SUF 50 75	SUF 50 19
CF 50 80	CF 50 15	SUF 50 80	SUF 50 19
CF 50 81	CF 50 15	SUF 50 81	SUF 50 19
CF 50 82	CF 50 15	SUF 50 82	SUF 50 19
CF 50 83	CF 50 15	SUF 50 83	SUF 50 19
CF 50 84	CF 50 15	SUF 50 84	SUF 50 19
CF 50 85	CF 50 15	SUF 50 85	SUF 50 19
CF 50 90	CF 50 15	SUF 50 90	SUF 50 19
CF 50 91	CF 50 15	SUF 50 91	SUF 50 19
CF 50 92	CF 50 15	SUF 50 92	SUF 50 19
CF 50 93	CF 50 15	SUF 50 93	SUF 50 19
CF 50 95	CF 50 15	SUF 50 95	SUF 50 19


Ventose F-LINE a più soffietti - Serie DF

F-LINE series of bellows suction cup - DF Series




Ventose a più soffietti - Serie DF 20


Series of bellows suction cup - DF 20 Series




art. DF 20 15




art. DF 20 00



art. DF 20 10



art. DF 20 20




art. DF 20 60
con filtro
with filter

art. DF 20 61
con filtro e valvola
with filter and check valve

art. DF 20 63
senza filtro
without filter

art. DF 20 64
con valvola senza filtro
with check valve without filter




art. DF 20 90
con filtro
with filter

art. DF 20 91
con valvola
with check valve


art. DF 20 93
senza filtro
without filter

Ventose a più soffietti - Serie DF 30


Series of bellows suction cup - DF 30 Series




art. DF 30 15




art. DF 30 00



art. DF 30 10



art. DF 30 20




art. DF 30 70
con filtro
with filter

art. DF 30 71
con filtro e valvola
with filter and check valve

art. DF 30 73
senza filtro
without filter

art. DF 30 74
con valvola senza filtro
with check valve without filter




art. DF 30 80
con filtro
with filter

art. DF 30 81
con filtro e valvola
with filter and check valve

art. DF 30 83
senza filtro
without filter

art. DF 30 84
con valvola senza filtro
with check valve without filter



art. DF 30 90
con filtro
with filter

art. DF 30 91
con valvola
with check valve


art. DF 30 93
senza filtro
without filter

Ventose a più soffietti - Serie DF 40


Series of bellows suction cup - DF 40 Series




VENTOSE
SUCTION CUPS




art. DF 40 15




art. DF 40 00



art. DF 40 10



art. DF 40 20




art. DF 40 70
con filtro
with filter

art. DF 40 71
con filtro e valvola
with filter and check valve

art. DF 40 73
senza filtro
without filter

art. DF 40 74
con valvola senza filtro
with check valve without filter




art. DF 40 80
con filtro
with filter

art. DF 40 81
con filtro e valvola
with filter and check valve

art. DF 40 83
senza filtro
without filter

art. DF 40 84
con valvola senza filtro
with check valve without filter



art. DF 40 90
con filtro
with filter

art. DF 40 91
con valvola
with check valve


art. DF 40 93
senza filtro
without filter

Ventose a più soffietti - Serie DF 50


Series of bellows suction cup - DF 50 Series




VENTOSE
SUCTION CUPS




art. DF 50 15




art. DF 50 00



art. DF 50 10



art. DF 50 20



art. DF 50 70

con filtro
with filter

art. DF 50 71


con filtro e valvola
with filter and check valve

art. DF 50 73

senza filtro
without filter

art. DF 50 74

con valvola senza filtro
with check valve without filter



art. DF 50 80

con filtro
with filter

art. DF 50 81


con filtro e valvola
with filter and check valve

art. DF 50 83

senza filtro
without filter

art. DF 50 84

con valvola senza filtro
with check valve without filter



art. DF 50 90

con filtro
with filter

art. DF 50 91

con valvola
with check valve

art. DF 50 93

senza filtro
without filter

Supporti per ventose - Serie DF

Fittings for suction cups - DF Series

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>	+ Anello di rinforzo <i>Reinforcement ring</i>
DF 20 00	DF 20 15	SUF 30 00	SUF 30 19
DF 20 10	DF 20 15	SUF 30 10	-
DF 20 20	DF 20 15	SUF 30 18	SUF 30 19
DF 20 60	DF 20 15	SUF 30 60	SUF 30 19
DF 20 61	DF 20 15	SUF 30 61	SUF 30 19
DF 20 63	DF 20 15	SUF 30 63	SUF 30 19
DF 20 64	DF 20 15	SUF 30 64	SUF 30 19
DF 20 90	DF 20 15	SUF 30 90	SUF 30 19
DF 20 91	DF 20 15	SUF 30 91	SUF 30 19
DF 20 93	DF 20 15	SUF 30 93	SUF 30 19
DF 30 00	DF 30 15	SUF 40 00	SUF 40 19
DF 30 10	DF 30 15	SUF 40 10	-
DF 30 20	DF 30 15	SUF 40 18	SUF 40 19
DF 30 70	DF 30 15	SUF 40 70	SUF 40 19
DF 30 71	DF 30 15	SUF 40 71	SUF 40 19
DF 30 73	DF 30 15	SUF 40 73	SUF 40 19
DF 30 74	DF 30 15	SUF 40 74	SUF 40 19
DF 30 80	DF 30 15	SUF 40 80	SUF 40 19
DF 30 81	DF 30 15	SUF 40 81	SUF 40 19
DF 30 83	DF 30 15	SUF 40 83	SUF 40 19
DF 30 84	DF 30 15	SUF 40 84	SUF 40 19
DF 30 90	DF 30 15	SUF 40 90	SUF 40 19
DF 30 91	DF 30 15	SUF 40 91	SUF 40 19
DF 30 93	DF 30 15	SUF 40 93	SUF 40 19

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>	+ Anello di rinforzo <i>Reinforcement ring</i>
DF 40 00	DF 40 15	SUF 40 00	SUF 40 19
DF 40 10	DF 40 15	SUF 40 10	-
DF 40 20	DF 40 15	SUF 40 18	SUF 40 19
DF 40 70	DF 40 15	SUF 40 70	SUF 40 19
DF 40 71	DF 40 15	SUF 40 71	SUF 40 19
DF 40 73	DF 40 15	SUF 40 73	SUF 40 19
DF 40 74	DF 40 15	SUF 40 74	SUF 40 19
DF 40 80	DF 40 15	SUF 40 80	SUF 40 19
DF 40 81	DF 40 15	SUF 40 81	SUF 40 19
DF 40 83	DF 40 15	SUF 40 83	SUF 40 19
DF 40 84	DF 40 15	SUF 40 84	SUF 40 19
DF 40 90	DF 40 15	SUF 40 90	SUF 40 19
DF 40 91	DF 40 15	SUF 40 91	SUF 40 19
DF 40 93	DF 40 15	SUF 40 93	SUF 40 19
DF 50 00	DF 50 15	SUF 50 00	SUF 50 19
DF 50 10	DF 50 15	SUF 50 10	-
DF 50 20	DF 50 15	SUF 50 18	SUF 50 19
DF 50 70	DF 50 15	SUF 50 70	SUF 50 19
DF 50 71	DF 50 15	SUF 50 71	SUF 50 19
DF 50 73	DF 50 15	SUF 50 73	SUF 50 19
DF 50 74	DF 50 15	SUF 50 74	SUF 50 19
DF 50 80	DF 50 15	SUF 50 80	SUF 50 19
DF 50 81	DF 50 15	SUF 50 81	SUF 50 19
DF 50 83	DF 50 15	SUF 50 83	SUF 50 19
DF 50 84	DF 50 15	SUF 50 84	SUF 50 19
DF 50 90	DF 50 15	SUF 50 90	SUF 50 19
DF 50 91	DF 50 15	SUF 50 91	SUF 50 19
DF 50 93	DF 50 15	SUF 50 93	SUF 50 19

Ventose F-LINE coniche - Serie EM - EF


F-LINE conical suction cups - EM - EF Series



Ventose coniche - Serie EM 16

senza supporto

*Conical suction cups - EM 16 Series
without support*




Art.	A	B	C	D
EM 16 15	16,5	9	2,8	16,5

Ventose coniche - Serie EM 16

con supporto

*Conical suction cups - EM 16 Series
with support*




Art =	Ventosa S. cup	+ Supp. Est. + Supp. Ext.	A	B	C	D
EM 16 10	EM 16 15	SUM 41	25	M 5	2	16,5

Ventose coniche - Serie EF 20


Conical suction cups - EF 20 Series




VENTOSE
SUCTION CUPS




art. EF 20 15




art. EF 20 00



art. EF 20 10



art. EF 20 20




art. EF 20 60
con filtro
with filter

art. EF 20 61
con filtro e valvola
with filter and check valve

art. EF 20 63
senza filtro
without filter

art. EF 20 64
con valvola senza filtro
with check valve without filter




art. EF 20 90
con filtro
with filter

art. EF 20 91
con valvola
with check valve


art. EF 20 93
senza filtro
without filter

Ventose coniche - Serie EF 30


Conical suction cups - EF 30 Series




art. EF 30 15




art. EF 30 00



art. EF 30 10



art. EF 30 20




art. EF 30 60
con filtro
with filter

art. EF 30 61
con filtro e valvola
with filter and check valve

art. EF 30 63
senza filtro
without filter

art. EF 30 64
con valvola senza filtro
with check valve without filter



art. EF 30 90
con filtro
with filter

art. EF 30 91
con valvola
with check valve


art. EF 30 93
senza filtro
without filter

Ventose coniche - Serie EF 40


Conical suction cups - EF 40 Series




VENTOSE
SUCTION CUPS




art. EF 40 15



art. EF 40 00



art. EF 40 20




art. EF 40 60
con filtro
with filter

art. EF 40 61
con filtro e valvola
with filter and check valve

art. EF 40 63
senza filtro
without filter

art. EF 40 64
con valvola senza filtro
with check valve without filter




art. EF 40 90
con filtro
with filter

art. EF 40 91
con valvola
with check valve


art. EF 40 93
senza filtro
without filter

Ventose coniche - Serie EF 50


Conical suction cups - EF 50 Series




art. EF 50 15




art. EF 50 00



art. EF 50 10



art. EF 50 20




art. EF 50 70
con filtro
with filter

art. EF 50 71
con filtro e valvola
with filter and check valve

art. EF 50 73
senza filtro
without filter

art. EF 50 74
con valvola senza filtro
with check valve without filter




art. EF 50 80
con filtro
with filter

art. EF 50 81
con filtro e valvola
with filter and check valve

art. EF 50 83
senza filtro
without filter

art. EF 50 84
con valvola senza filtro
with check valve without filter



art. EF 50 90
con filtro
with filter

art. EF 50 91
con valvola
with check valve

art. EF 50 93
senza filtro
without filter

Supporti per ventose - Serie EF

Fittings for suction cups - EF Series

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>	+ Anello di rinforzo <i>Reinforcement ring</i>
EF 20 00	EF 20 15	SUF 30 00	SUF 30 19
EF 20 10	EF 20 15	SUF 30 10	-
EF 20 20	EF 20 15	SUF 30 18	SUF 30 19
EF 20 60	EF 20 15	SUF 30 60	SUF 30 19
EF 20 61	EF 20 15	SUF 30 61	SUF 30 19
EF 20 63	EF 20 15	SUF 30 63	SUF 30 19
EF 20 64	EF 20 15	SUF 30 64	SUF 30 19
EF 20 90	EF 20 15	SUF 30 90	SUF 30 19
EF 20 91	EF 20 15	SUF 30 91	SUF 30 19
EF 20 93	EF 20 15	SUF 30 93	SUF 30 19
EF 30 00	EF 30 15	SUF 30 00	SUF 30 19
EF 30 10	EF 30 15	SUF 30 10	-
EF 30 20	EF 30 15	SUF 30 18	SUF 30 19
EF 30 60	EF 30 15	SUF 30 60	SUF 30 19
EF 30 61	EF 30 15	SUF 30 61	SUF 30 19
EF 30 63	EF 30 15	SUF 30 63	SUF 30 19
EF 30 64	EF 30 15	SUF 30 64	SUF 30 19
EF 30 90	EF 30 15	SUF 30 90	SUF 30 19
EF 30 91	EF 30 15	SUF 30 91	SUF 30 19
EF 30 93	EF 30 15	SUF 30 93	SUF 30 19

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>	+ Anello di rinforzo <i>Reinforcement ring</i>
EF 40 00	EF 40 15	SUF 40 00	-
EF 40 10	EF 40 15	SUF 40 10	-
EF 40 20	EF 40 15	SUF 40 18	-
EF 40 60	EF 40 15	SUF 40 60	-
EF 40 61	EF 40 15	SUF 40 61	-
EF 40 63	EF 40 15	SUF 40 63	-
EF 40 64	EF 40 15	SUF 40 64	-
EF 40 90	EF 40 15	SUF 40 90	-
EF 40 91	EF 40 15	SUF 40 91	-
EF 40 93	EF 40 15	SUF 40 93	-
EF 50 00	EF 50 15	SUF 50 00	SUF 50 19
EF 50 10	EF 50 15	SUF 50 10	-
EF 50 20	EF 50 15	SUF 50 18	SUF 50 19
EF 50 70	EF 50 15	SUF 50 70	SUF 50 19
EF 50 71	EF 50 15	SUF 50 71	SUF 50 19
EF 50 73	EF 50 15	SUF 50 73	SUF 50 19
EF 50 74	EF 50 15	SUF 50 74	SUF 50 19
EF 50 80	EF 50 15	SUF 50 80	SUF 50 19
EF 50 81	EF 50 15	SUF 50 81	SUF 50 19
EF 50 83	EF 50 15	SUF 50 83	SUF 50 19
EF 50 84	EF 50 15	SUF 50 84	SUF 50 19
EF 50 90	EF 50 15	SUF 50 90	SUF 50 19
EF 50 91	EF 50 15	SUF 50 91	SUF 50 19
EF 50 93	EF 50 15	SUF 50 93	SUF 50 19


Ventose F-LINE sferiche con raggi - Serie GF

F-LINE spherical suction cups - GF series




Ventose sferiche con raggi - Serie GF


Spherical suction cups - GF Series




art. GF 30 45



art. GF 30 00



art. GF 30 20




art. GF 30 60
con filtro
with filter

art. GF 30 61
con filtro e valvola
with filter and check valve

art. GF 30 63
senza filtro
without filter

art. GF 30 64
con valvola senza filtro
with check valve without filter



art. GF 30 90
con filtro
with filter

art. GF 30 91
con valvola
with filter

art. GF 30 93
senza filtro
without filter

Supporti per ventose - Serie GF

Fittings for suction cups - GF Series

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>
GF 30 00	GF 30 45	SUF 30 00
GF 30 20	GF 30 45	SUF 30 18
GF 30 60	GF 30 45	SUF 30 60
GF 30 61	GF 30 45	SUF 30 61
GF 30 63	GF 30 45	SUF 30 63
GF 30 64	GF 30 45	SUF 30 64
GF 30 90	GF 30 45	SUF 30 90
GF 30 91	GF 30 45	SUF 30 91
GF 30 93	GF 30 45	SUF 30 93


Ventose F-LINE a soffiutto - Serie MF

F-LINE bellows suction cups - MF series




Ventose a soffiutto - Serie MF


Bellows suction cups - MF Series




art. MF 25 35




art. MF 25 00




art. MF 25 10



art. MF 25 20



art. MF 25 98




art. MF 25 60
con filtro
with filter

art. MF 25 61
con filtro e valvola
with filter and check valve

art. MF 25 63
senza filtro
without filter

art. MF 25 64
con valvola senza filtro
with check valve without filter




art. MF 25 90
con filtro
with filter

art. MF 25 91
con valvola
with check valve


art. MF 25 93
senza filtro
without filter

Ventose a soffietto - Serie MF


Bellows suction cups - MF Series




art. MF 31 35




art. MF 31 98



art. MF 31 10




art. MF 31 20



art. MF 31 90
con filtro
with filter

art. MF 31 91
con valvola
with filter

art. MF 31 93
senza filtro
without filter




art. MF 31 60
con filtro
with filter

art. MF 31 61
con filtro e valvola
with filter and check valve

art. MF 31 63
senza filtro
without filter


art. MF 31 64
con valvola senza filtro
with check valve without filter




art. MF 31 00

Ventose a soffietto - Serie MF


Bellows suction cups - MF Series




art. MF 44 35




art. MF 44 99



art. MF 44 30




art. MF 44 20



art. MF 44 90
con filtro
with filter

art. MF 44 91
con valvola
with check valve

art. MF 44 93
senza filtro
without filter




art. MF 44 80
con filtro
with filter

art. MF 44 81
con filtro e valvola
with filter and check valve

art. MF 44 83
senza filtro
without filter

art. MF 44 84
con valvola senza filtro
with check valve without filter




art. MF 44 70
con filtro
with filter

art. MF 44 71
con filtro e valvola
with filter and check valve

art. MF 44 73
senza filtro
without filter

art. MF 44 74
con valvola senza filtro
with check valve without filter



art. MF 44 00

Supporti per ventose - Serie MF

Fittings for suction cups - MF Series

Art =	Ventosa Suction cup	+ Supporto + Fitting	Anello di rinforzo Reinforcement ring
MF 25 98	MF 25 35	SUF 30 98	SUF 30 19
MF 25 00	MF 25 35	SUF 30 00	SUF 30 19
MF 25 10	MF 25 35	SUF 30 10	
MF 25 20	MF 25 35	SUF 30 18	SUF 30 19
MF 25 60	MF 25 35	SUF 30 60	SUF 30 19
MF 25 61	MF 25 35	SUF 30 61	SUF 30 19
MF 25 63	MF 25 35	SUF 30 63	SUF 30 19
MF 25 64	MF 25 35	SUF 30 64	SUF 30 19
MF 25 90	MF 25 35	SUF 30 90	SUF 30 19
MF 25 91	MF 25 35	SUF 30 91	SUF 30 19
MF 25 93	MF 25 35	SUF 30 93	SUF 30 19
MF 31 98	MF 31 35	SUF 30 98	SUF 30 19
MF 31 00	MF 31 35	SUF 30 00	SUF 30 19
MF 31 10	MF 31 35	SUF 30 10	
MF 31 20	MF 31 35	SUF 30 18	SUF 30 19
MF 31 60	MF 31 35	SUF 30 60	SUF 30 19
MF 31 61	MF 31 35	SUF 30 61	SUF 30 19
MF 31 63	MF 31 35	SUF 30 63	SUF 30 19
MF 31 64	MF 31 35	SUF 30 64	SUF 30 19
MF 31 90	MF 31 35	SUF 30 90	SUF 30 19
MF 31 91	MF 31 35	SUF 30 91	SUF 30 19
MF 31 93	MF 31 35	SUF 30 93	SUF 30 19

Art =	Ventosa Suction cup	+ Supporto + Fitting	Anello di rinforzo Reinforcement ring
MF 44 99	MF 44 35	SUF 45 99	SUF 40 19
MF 44 00	MF 44 35	SUF 40 00	SUF 40 19
MF 44 10	MF 44 35	SUF 40 10	
MF 44 20	MF 44 35	SUF 40 18	SUF 40 19
MF 44 70	MF 44 35	SUF 40 70	SUF 40 19
MF 44 71	MF 44 35	SUF 40 71	SUF 40 19
MF 44 73	MF 44 35	SUF 40 73	SUF 40 19
MF 44 74	MF 44 35	SUF 40 74	SUF 40 19
MF 44 80	MF 44 35	SUF 40 80	SUF 40 19
MF 44 81	MF 44 35	SUF 40 81	SUF 40 19
MF 44 83	MF 44 35	SUF 40 83	SUF 40 19
MF 44 84	MF 44 35	SUF 40 84	SUF 40 19
MF 44 90	MF 44 35	SUF 40 90	SUF 40 19
MF 44 91	MF 44 35	SUF 40 91	SUF 40 19
MF 44 93	MF 44 35	SUF 40 93	SUF 40 19
MF 44 94	MF 44 35	SUF 40 94	SUF 40 19

Ventose F-LINE a soffiETTO - Serie VES

F-LINE bellows suction cups - VES series




Le ventose della serie VES sono studiate per essere la soluzione migliore alla movimentazione di sacchetti in plastica e in altri materiali. Sono composte da due parti separate montate tra loro. Il labbro morbido in silicone garantisce alla ventosa un'ottima presa sulle superfici deformabili, mentre il corpo a più soffietti di maggior durezza garantisce un'ottima resistenza alle sollecitazioni. Nei supporti disponibili, vi è la possibilità d'integrare un filtro a rete in acciaio INOX e la valvola autoescludente per il controllo flusso del vuoto.

VES series suction cups are designed to be the best solution for the handling of plastic bags and other materials.


They consist of two separate parts assembled together. The soft silicone lip guarantees an excellent grip on the deformable surfaces, while the body, with bellows of higher hardness, guarantees excellent resistance to stress. In the available supports, there is the possibility to integrate a stainless steel mesh filter and the self-pressure valve for vacuum flow control.

Ventose a soffiETTO - Serie VES 25


Bellows suction cups - VES 25 Series




art. VES 25 35



art. VES 25 20




art. VES 25 00




art. VES 25 70
con filtro with filter


art. VES 25 73
senza filtro without filter



art. VES 25 74




art. VES 25 76




art. VES 25 80
con filtro with filter


art. VES 25 83
senza filtro without filter



art. VES 25 84




art. VES 25 86




art. VES 25 90
con filtro with filter

art. VES 25 93
senza filtro without filter




art. VES 25 94




art. VES 25 96

Ventose a soffietto - Serie VES 34


Bellows suction cups - VES 34 Series




art. VES 34 35



art. VES 34 00




art. VES 34 20




art. VES 34 70
con filtro
with filter


art. VES 34 73
senza filtro
without filter



art. VES 34 74




art. VES 34 76




art. VES 34 80
con filtro
with filter


art. VES 34 83
senza filtro
without filter



art. VES 34 84




art. VES 34 86




art. VES 34 90
con filtro
with filter

art. VES 34 93
senza filtro
without filter




art. VES 34 94




art. VES 34 96

Ventose a soffietto - Serie VES 41


Bellows suction cups - VES 41 Series




art. VES 41 35




art. VES 41 00




art. VES 41 20



art. VES 41 70
con filtro
with filter




art. VES 41 74




art. VES 41 76

art. VES 41 73
senza filtro
without filter




art. VES 41 80
con filtro
with filter


art. VES 41 83
senza filtro
without filter



art. VES 41 84




art. VES 41 86




art. VES 41 90
con filtro
with filter

art. VES 41 93
senza filtro
without filter




art. VES 41 94




art. VES 41 96

Ventose a soffietto - Serie VES 48


Bellows suction cups - VES 48 Series




art. VES 48 35




art. VES 48 00




art. VES 48 20



art. VES 48 70
con filtro
with filter




art. VES 48 74




art. VES 48 76

art. VES 48 73
senza filtro
without filter




art. VES 48 80
con filtro
with filter


art. VES 48 83
senza filtro
without filter



art. VES 48 84




art. VES 48 86




art. VES 48 90
con filtro
with filter

art. VES 48 93
senza filtro
without filter




art. VES 48 94




art. VES 48 96

Ventose a soffietto - Serie VES 64


Bellows suction cups - VES 64 Series




art. VES 64 35




art. VES 64 00




art. VES 64 20



art. VES 64 70
con filtro
with filter




art. VES 64 74




art. VES 64 76

art. VES 64 73
senza filtro
without filter




art. VES 64 80
con filtro
with filter


art. VES 64 83
senza filtro
without filter



art. VES 64 84




art. VES 64 86




art. VES 64 90
con filtro
with filter

art. VES 64 93
senza filtro
without filter



art. VES 64 94



art. VES 64 96

Supporti per ventose - Serie VES


Fittings for suction cups - VES Series

Art =	Ventosa Suction cup	+ Supporto + Fitting
VES 25 94	VES 25 35	SUMVES 1/8
VES 25 96	VES 25 35	SUFVES 1/8
VES 25 74	VES 25 35	SUMVES 1/4
VES 25 76	VES 25 35	SUFVES 1/4
VES 25 84	VES 25 35	SUMVES 3/8
VES 25 86	VES 25 35	SUFVES 3/8
VES 25 20	VES 25 35	SUF 50 18
VES 25 70	VES 25 35	SUF 50 70
VES 25 73	VES 25 35	SUF 50 73
VES 25 80	VES 25 35	SUF 50 80
VES 25 83	VES 25 35	SUF 50 83
VES 25 90	VES 25 35	SUF 50 90
VES 25 93	VES 25 35	SUF 50 93
VES 25 00	VES 25 35	SUF 50 00
VES 34 94	VES 34 35	SUMVES 1/8
VES 34 96	VES 34 35	SUFVES 1/8
VES 34 74	VES 34 35	SUMVES 1/4
VES 34 76	VES 34 35	SUFVES 1/4
VES 34 84	VES 34 35	SUMVES 3/8
VES 34 86	VES 34 35	SUFVES 3/8
VES 34 20	VES 34 35	SUF 50 18
VES 34 70	VES 34 35	SUF 50 70
VES 34 73	VES 34 35	SUF 50 73
VES 34 80	VES 34 35	SUF 50 80
VES 34 83	VES 34 35	SUF 50 83
VES 34 90	VES 34 35	SUF 50 90
VES 34 93	VES 34 35	SUF 50 93
VES 34 00	VES 34 35	SUF 50 00
VES 41 94	VES 41 35	SUMVES 1/8
VES 41 96	VES 41 35	SUFVES 1/8
VES 41 74	VES 41 35	SUMVES 1/4
VES 41 76	VES 41 35	SUFVES 1/4
VES 41 84	VES 41 35	SUMVES 3/8
VES 41 86	VES 41 35	SUFVES 3/8
VES 41 20	VES 41 35	SUF 50 18
VES 41 70	VES 41 35	SUF 50 70
VES 41 73	VES 41 35	SUF 50 73
VES 41 80	VES 41 35	SUF 50 80
VES 41 83	VES 41 35	SUF 50 83
VES 41 90	VES 41 35	SUF 50 90
VES 41 93	VES 41 35	SUF 50 93
VES 41 00	VES 41 35	SUF 50 00

Art =	Ventosa Suction cup	+ Supporto + Fitting
VES 48 94	VES 48 35	SUMVES 1/8
VES 48 96	VES 48 35	SUFVES 1/8
VES 48 74	VES 48 35	SUMVES 1/4
VES 48 76	VES 48 35	SUFVES 1/4
VES 48 84	VES 48 35	SUMVES 3/8
VES 48 86	VES 48 35	SUFVES 3/8
VES 48 20	VES 48 35	SUF 50 18
VES 48 70	VES 48 35	SUF 50 70
VES 48 73	VES 48 35	SUF 50 73
VES 48 80	VES 48 35	SUF 50 80
VES 48 83	VES 48 35	SUF 50 83
VES 48 90	VES 48 35	SUF 50 90
VES 48 93	VES 48 35	SUF 50 93
VES 48 00	VES 48 35	SUF 50 00
VES 64 94	VES 64 35	SUMVES 1/8
VES 64 96	VES 64 35	SUFVES 1/8
VES 64 74	VES 64 35	SUMVES 1/4
VES 64 76	VES 64 35	SUFVES 1/4
VES 64 84	VES 64 35	SUMVES 3/8
VES 64 86	VES 64 35	SUFVES 3/8
VES 64 20	VES 64 35	SUF 50 18
VES 64 70	VES 64 35	SUF 50 70
VES 64 73	VES 64 35	SUF 50 73
VES 64 80	VES 64 35	SUF 50 80
VES 64 83	VES 64 35	SUF 50 83
VES 64 90	VES 64 35	SUF 50 90
VES 64 93	VES 64 35	SUF 50 93
VES 64 00	VES 64 35	SUF 50 00

Ventose F-LINE a soffietto - Serie VFX

F-LINE bellows suction cups - VFX series



Ventose realizzate in G-FLEX materiale a base poliuretanica che ha la caratteristica di avere due durezze differenti:

- Labbro più morbido da 30 shore e quindi con un'ottima prensilità anche su prodotti relativamente difficili a causa della loro porosità come carta e cartone.
- Soffietto da 60 shore che conferisce durata e velocità reattiva alla ventosa.

Nei supporti disponibili, vi è la possibilità d'integrare un filtro a rete in acciaio INOX e la valvola autoscludente per il controllo flusso del vuoto.

Suction cups made of G-FLEX material based on polyurethane which have the characteristic of having two different hardnesses:


- *Lip softer to 30 shore, and then with a great prehensility even on products relatively difficult because of their porosity, such as.*
- *Paper and cardboard and bellows 60 shore conferring durability and responsive speed to the suction cup.*

As regards available fittings, there is the possibility to integrate a filter made of stainless steel and the check-valve to control vacuum flow.

Ventose a soffietto - Serie VFX 10 ÷ 15

senza supporto

Bellows suction cups - VFX 10 ÷ 15 Series
without support





Art.	A	B	C	D
VFX 10 35	17	9	4	10
VFX 15 35	19	9	4	15

Ventose a soffietto - Serie VFX 10 ÷ 15

con supporto

Bellows suction cups - VFX 10 ÷ 15 Series
with support




Art =	Ventosa S. cup	+ Supp. Est. + Supp. Ext.	A	B	C	D
VFX 10 30	VFX 10 35	SUM 41	25,8	5 MA	21	10
VFX 15 30	VFX 15 35	SUM 41	27,8	5 MA	23	15

Ventose a soffietto - Serie VFX 20


Bellows suction cups - VFX 20 Series




VENTOSE
SUCTION CUPS




art. VFX 20 35



art. VFX 20 00



art. VFX 20 20




art. VFX 20 60
con filtro
with filter

art. VFX 20 61
con filtro e valvola
with filter and check valve

art. VFX 20 63
senza filtro
without filter

art. VFX 20 64
con valvola senza filtro
with check valve without filter




art. VFX 20 90
con filtro
with filter

art. VFX 20 91
con valvola
with check valve


art. VFX 20 93
senza filtro
without filter

Ventose a soffietto - Serie VFX 25


Bellows suction cups - VFX 25 Series




art. VFX 25 35



art. VFX 25 00



art. VFX 25 20




art. VFX 25 60

con filtro
with filter

art. VFX 25 61
con filtro e valvola
with filter and check valve

art. VFX 25 63
senza filtro
without filter

art. VFX 25 64
con valvola senza filtro
with check valve without filter



art. VFX 25 90

con filtro
with filter

art. VFX 25 91
con valvola
with check valve


art. VFX 25 93
senza filtro
without filter

Ventose a soffietto - Serie VFX 30


Bellows suction cups - VFX 30 Series




VENTOSE
SUCTION CUPS




art. VFX 30 35



art. VFX 30 00



art. VFX 30 20




art. VFX 30 60
con filtro
with filter

art. VFX 30 61
con filtro e valvola
with filter and check valve

art. VFX 30 63
senza filtro
without filter

art. VFX 30 64
con valvola senza filtro
with check valve without filter




art. VFX 30 90
con filtro
with filter

art. VFX 30 91
con valvola
with check valve


art. VFX 30 93
senza filtro
without filter

Ventose a soffietto - Serie VFX 40


Bellows suction cups - VFX 40 Series




art. VFX 40 35



art. VFX 40 00



art. VFX 40 20




art. VFX 40 70
con filtro
with filter

art. VFX 40 71
con filtro e valvola
with filter and check valve

art. VFX 40 73
senza filtro
without filter

art. VFX 40 74
con valvola senza filtro
with check valve without filter




art. VFX 40 80
con filtro
with filter

art. VFX 40 81
con filtro e valvola
with filter and check valve

art. VFX 40 83
senza filtro
without filter

art. VFX 40 84
con valvola senza filtro
with check valve without filter



art. VFX 40 90
con filtro
with filter

art. VFX 40 91
con valvola
with check valve


art. VFX 40 93
senza filtro
without filter

Ventose a soffietto - Serie VFX 50


Bellows suction cups - VFX 50 Series




VENTOSE
SUCTION CUPS




art. VFX 50 35



art. VFX 50 00



art. VFX 50 20




art. VFX 50 70
con filtro
with filter

art. VFX 50 71
con filtro e valvola
with filter and check valve

art. VFX 50 73
senza filtro
without filter

art. VFX 50 74
con valvola senza filtro
with check valve without filter




art. VFX 50 80
con filtro
with filter

art. VFX 50 81
con filtro e valvola
with check valve without filter

art. VFX 50 83
senza filtro
without filter

art. VFX 50 84
con valvola senza filtro
with check valve without filter




art. VFX 50 90
con filtro
with filter

art. VFX 50 91
con valvola
with check valve

art. VFX 50 93
senza filtro
without filter

Ventose a soffietto - Serie VFX 70

Bellows suction cups - VFX 70 Series



art. VFX 70 80

Supporti per ventose - Serie VFX

Fittings for suction cups - VFX Series

Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>
VFX 20 00	VFX 20 35	SUF 30 00
VFX 20 20	VFX 20 35	SUF 30 18
VFX 20 60	VFX 20 35	SUF 30 60
VFX 20 61	VFX 20 35	SUF 30 61
VFX 20 63	VFX 20 35	SUF 30 63
VFX 20 64	VFX 20 35	SUF 30 64
VFX 20 90	VFX 20 35	SUF 30 90
VFX 20 91	VFX 20 35	SUF 30 91
VFX 20 93	VFX 20 35	SUF 30 93
VFX 25 00	VFX 25 35	SUF 30 00
VFX 25 20	VFX 25 35	SUF 30 18
VFX 25 60	VFX 25 35	SUF 30 60
VFX 25 61	VFX 25 35	SUF 30 61
VFX 25 63	VFX 25 35	SUF 30 63
VFX 25 64	VFX 25 35	SUF 30 64
VFX 25 90	VFX 25 35	SUF 30 90
VFX 25 91	VFX 25 35	SUF 30 91
VFX 25 93	VFX 25 35	SUF 30 93
VFX 30 00	VFX 30 35	SUF 30 00
VFX 30 20	VFX 30 35	SUF 30 18
VFX 30 60	VFX 30 35	SUF 30 60
VFX 30 61	VFX 30 35	SUF 30 61
VFX 30 63	VFX 30 35	SUF 30 63
VFX 30 64	VFX 30 35	SUF 30 64
VFX 30 90	VFX 30 35	SUF 30 90
VFX 30 91	VFX 30 35	SUF 30 91
VFX 30 93	VFX 30 35	SUF 30 93



Art =	Ventosa <i>Suction cup</i>	+ Supporto <i>+ Fitting</i>
VFX 40 00	VFX 40 35	SUF 40 00
VFX 40 20	VFX 40 35	SUF 40 18
VFX 40 70	VFX 40 35	SUF 40 70
VFX 40 71	VFX 40 35	SUF 40 71
VFX 40 73	VFX 40 35	SUF 40 73
VFX 40 74	VFX 40 35	SUF 40 74
VFX 40 80	VFX 40 35	SUF 40 80
VFX 40 81	VFX 40 35	SUF 40 81
VFX 40 83	VFX 40 35	SUF 40 83
VFX 40 84	VFX 40 35	SUF 40 84
VFX 40 90	VFX 40 35	SUF 40 90
VFX 40 91	VFX 40 35	SUF 40 91
VFX 40 93	VFX 40 35	SUF 40 93
VFX 50 00	VFX 50 35	SUF 50 00
VFX 50 20	VFX 50 35	SUF 50 18
VFX 50 70	VFX 50 35	SUF 50 70
VFX 50 71	VFX 50 35	SUF 50 71
VFX 50 73	VFX 50 35	SUF 50 73
VFX 50 74	VFX 50 35	SUF 50 74
VFX 50 80	VFX 50 35	SUF 50 80
VFX 50 81	VFX 50 35	SUF 50 81
VFX 50 83	VFX 50 35	SUF 50 83
VFX 50 84	VFX 50 35	SUF 50 84
VFX 50 90	VFX 50 35	SUF 50 90
VFX 50 91	VFX 50 35	SUF 50 91
VFX 50 93	VFX 50 35	SUF 50 93


Ventose speciali piane

Special flat suction cups




Senza supporto - Without support







art. VSP 12/3




art. VSP 12/4




art. VSP 13/1




art. VSP 13/1 * = 4 • 11
art. VSP 13/4 * = 4
art. VSP 13/2 * = 2




art. VSP 14




art. VSP 14/1




art. VSP 14/2




art. VSP 15/L




art. VSP 15




art. VSP 15/1




art. VSP 15/2




art. VSP 15/3




art. VSP 15/4




art. VSP 16




art. VSP 16/1




art. VSP 16/2




art. VSP 16/3




art. VSP 17




art. VSP 17/1




art. VSP 17/2




art. VSP 17/3




art. VSP 17/4




art. VSP 18




art. VSP 18/1




art. VSP 18/2




TAP 12x6x8E




art. VSP 18/3




art. VSP 18/4




art. VSP 19




art. VSP 19/1




art. VSP 19/2




art. VSP 19/3




art. VSP 20




art. VSP 20/1




art. VSP 20/2




art. VSP 20/3




art. VSP 20/4




art. VSP 20/5




art. VSP 20/6




art. VSP 20/7




art. VSP 21




art. VSP 21/1




art. VSP 21/2




art. VSP 21/3




art. VSP 22/1




art. VSP 23




art. VSP 24/2




art. VSP 25




art. VSP 25/1




art. VSP 25/2




art. VSP 25/3




art. VSP 25/4




art. VSP 25/L




art. VSP 25/6




art. VSP 26




art. VSP 26/1




art. VSP 26/2




art. VSP 26/3




art. VSP 26/4




art. VSP 27




art. VSP 27/1




art. VSP 27/2




art. VSP 28/1




art. VSP 28/2




art. VSP 29




art. VSP 30




art. VSP 30/1




art. VSP 30/2




art. VSP 30/3




art. VSP 30/4




art. VSP 31/1




art. VSP 32




art. VSP 32/1




art. VSP 32/2




art. VSP 32/L




art. VSP 32/L1




art. VSP 33




art. VSP 33/1




art. VSP 33/2




art. VSP 33/3




art. VSP 34




art. VSP 34/A




art. VSP 34/1




art. VSP 35




art. VSP 35/A




art. VSP 36/1




art. VSP 36/2




art. VSP 37




art. VSP 38




art. VSP 40




art. VSP 40/1




art. VSP 40/2




art. VSP 40/3




art. VSP 41




art. VSP 41/1




art. VSP 42




art. VSP 42/1




art. VSP 42/3




art. VSP 43




art. VSP 44




art. VSP 45




art. VSP 46




art. VSP 48




art. VSP 48/1




art. VSP 48/2




art. VSP 49




art. VSP 50




art. VSP 50/1




art. VSP 50/2




art. VSP 50/3




art. VSP 50/4




art. VSP 50/8




art. VSP 52




art. VSP 55




art. VSP 55/1




art. VSP 56




art. VSP 56/8




art. VSP 57








art. VSP 60




art. VSP 60/1




art. VSP 61




Art.	d
VSP 75/A	11,5
EM 75/A 12	12 MA
EM 75/A 14	1/4"




art. VSP 75/3




art. VSP 80




art. VSP 83




art. VSP 85




art. VSP 87




art. VSP 97




art. VSP 100




art. VSP 101




art. VSP 105




art. VSP 120




art. VSP 158



Art.	A	B	C	D	E
VSP 37/1	31	53	44,7	37	29
VSP 45/1	32	53	44,7	45	36,6




Art.	A	B	C	D	E	F	G
VSP 30/6	17	16	11	30	7	4,7	3
VSP 40/6	16	18,5	9	40	13	10	6
VSP 50/6	21	19	12	50	13	10	6



Art.	A	B	C	D	E	CH
VCM 30/6	32,5	1/8	23	30	3	14
VCM 40/6	35	1/4	25	40	6	17
VCM 50/6	39	1/4	29	50	6	17


Ventose speciali piane con supporto maschio

Special flat suction cups
with male support




art. EM....

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	D	d	h	H
EM 05 01 =	VSP 5	+ SUM 70	0,07	5	1,4	6,5	16,5
EM 06 01 =	VSP 6	+ SUM 70	0,08	6	2	6,5	16,5
EM 08 01 =	VSP 8	+ SUM 70	0,10	8	2	7	17
EM 10 01 =	VSP 10	+ SUM 70	0,17	10	2	7,5	17,5




art. EM....

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	B	C	DØ	E	F	G
EM 13 02 =	VSP 13/2	+ SUM 46	0,30	17	5 MA	10	13	2	5	2
EM 13 04 =	VSP 13/4	+ SUM 49	0,30	20	5 MA	10	13	4,5	5,5	2




Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	B	C	DØ	E	F
EM 18 02 =	VSP 18/1	+ SUM 30	0,65	23,5	1/8"	10	18	5	8,5




art. EM 32 02

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	BØ	C	DØ	E	F	CH
EM 15 01 =	VSP 15/L	+ SUM 41	0,40	19,5	M5	10	15	4	5,5	8
EM 25 01 =	VSP 25/L	+ SUM 41	1,25	20,5	M5	11	25	4	5,5	8
EM 15 02 =	VSP 15/L	+ SUM 30	0,40	23,5	1/8"	10	15	5	8,5	13
EM 25 02 =	VSP 25/L	+ SUM 30	1,25	24,5	1/8"	11	25	5	8,5	13
EM 32 02 =	VSP 32/L	+ SUM 31	1,85	42	1/8"	22	30	6,5	6	17




art. EM....

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	B	C	DØ	E	F
EM 30 01 =	VSP 30	+ SUM 30	1,75	33,5	6 MA	20	30	5	8,5
EM 34 03 =	VSP 34/A	+ SUM 30	2,30	33,5	6 MA	20	34	5	8,5




art. EM 40 02

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	B	C	DØ	E	F
EM 40 02 =	VSP 40/1	+ SUM 16	3,50	32	8 MA	16	40	-	16




art. EM .. 01

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	BØ	C	DØ	E	F
EM 50 01 =	VSP 50/8	+ SUM 18	4,60	34,5	1/4"	20	50	-	14,5
EM 65 01 =	VSP 65/8	+ SUM 18	8,00	42,5	1/4"	28	65	-	14,5




art. EM 50 02

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	BØ	C	DØ	E	F
EM 50 02 =	VSP 50/3	+ SUM 42	4,60	35	1/8"	21	50	5	9




art. EM ..

Art =	Ventosa S. cup	+Supporto +Support	+Supporto +Support	Forza Kg Force Kg	A	BØ	C	DØ	E	F
EM 52 01 =	VSP 52	+ SUM 14	+ SUM 20	5,50	44	1/4"	32	52	-	12
EM 75 01 =	VSP 75	+ SUM 14	+ SUM 20	11,00	45	1/4"	37	75	-	8
EM 75 03 =	VSP 75/3	+ SUM 55	+ SUF 63	11,00	45	3/8"	37	75	-	8




art. EM 75 03



art. EM....

Art =	Ventosa S. cup	+Supporto +Support	Forza Kg Force Kg	A	BØ	C	DØ	E	F
EM 65 02 =	VSP 65/1	+ SUM 17	3,50	40	1/4"	30	65	-	10
EM 105 01 =	VSP 105	+ SUM 17	8,00	41	1/4"	30	105	-	10




art. EM .. 01

Art =	Ventosa S. cup	+Supp. +Supp.	+Supp. +Supp.	+Supp. +Supp.	Forza Kg Force Kg	A	BØ	C	DØ	E	F
EM 73 01 =	VSP 73	+ SUM 25	P.215001	-	10,8	33	1/4"	23	73	6	8
EM 100 01 =	VSP 100	+ SUM 28	+ SUF 55	+ RID.1/4	19,5	38	1/4"	23	100	6	10


Ventose speciali piane con supporto maschio vulcanizzato

Special flat suction cups
with vulcanized male support




art. IM .. 08-10

Art.	Forza Kg Force Kg	A	BØ	C	DØ	E
IM 19 08	0,7	27,5	8 MA	15,5	19	12
IM 25 08	1,20	23,5	8 MA	11,5	25	12




art. IM .. 17

Art.	Forza Kg Force Kg	A	BØ	C	DØ	E
IM 50 17	4,90	29	3/8"	16	50	13
IM 75 17	11	38	3/8"	25	75	13
IM 100 17	19,60	41,5	3/8"	28,5	100	13



art. IM .. 38

Art.	Forza Kg Force Kg	A	BØ	C	DØ	E	CH
IM 75 38	11	22,5	1/4"	22	75	14,5	17
IM 100 38	19,60	30	3/8"	30	100	20	24



art. IM 120 14


Art.	Forza Kg Force Kg	A	BØ	C	DØ	E
IM 120 14	24,50	44	1/4"	34	120	10

Ventose speciali piane per tappi senza supporto

Special flat suction cups
for caps without support




VENTOSE
SUCTION CUPS



art. OM

Art.	A	B	C	D	E	F
OM 28	13	16,5	6	28	4,5	13
OM 35	16	20	6	35	5	13



art. OM


Art.	A	B	C	D	E	F
OM 41	16	17	6,5	41	4,5	11
OM 46	15	18,5	6,5	46	5	11
OM 51	17,5	20	6,5	51	5	10

Ventose speciali a soffietto


Special bellows suction cups




Senza supporto - *Without support*




art. VSS 5/2




art. VSS 6/2




art. VSS 7/1




art. VSS 8/1




art. VSS 11/1




art. VSS 11/2




art. VSS 11/3




art. VSS 14/2




art. VSS 16/1




art. VSS 16/3




art. VSS 17/1




art. VSS 17/2




art. VSS 18/1




art. VSS 18/3




art. VSS 18/4




art. VSS 19/1




art. VSS 20/1




art. VSS 20/2




art. VSS 20/3




art. VSS 20/4




















art. VSS 20/5





art. VSS 20/6




art. VSS 24/4









art. VSS 40/1




art. VSS 40/2




art. VSS 40/4




art. VSS 40/5




art. VSS 40/8




art. VSS 41/1




art. VSS 42/1




art. VSS 43/1




art. VSS 43/11




art. VSS 43/3




art. VSS 44/1




art. VSS 45/1




art. VSS 45/2




art. VSS 47/1




art. VSS 50




art. VSS 50/1




art. VSS 50/2




art. VSS 50/3




art. VSS 50/4




art. VSS 53/2




art. VSS 60/1




art. VSS 60/2




art. VSS 60/11




art. VSS 60/12




art. VSS 70/2




art. VSS 72/1




art. VSS 85/11




art. VSS 85/12



art. VSS 150




art. VSS 210



art. VSS

Art.	A	BØ	CØ	DØ	EØ
VSS 22	19.5	15	4.5	22	11
VSS 32	30.5	20	6	32.5	17
VSS 43	30	25	6	43	23
VSS 54	36	28	8.5	54	32



art. VSSP

Art.	A	BØ	CØ	DØ	EØ
VSSP 15	11	12	4.5	15	10
VSSP 20	13	15	4.5	20	13
VSSP 30	18	20	6	30	16

Ventose speciali a soffietto


per uova senza supporto

Special bellows suction cups


for eggs without support




VENTOSE
SUCTION CUPS



art. VSS 34/2



art. VSS 33/3




art. VSS 35/1

Ventose speciali a soffietto

con supporto maschio


Special bellows suction cups

with male support




art. SM...

Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	G
SM 16 01 =	VSS 16/1	+ SUM 43	0,5	30,5	5 MA	21	16	4	5,5	10
SM 20 10 =	VSS 20/1	+ SUM 31	0,85	58	1/8"	38	20	6,5	13,5	16
SM 20 14 =	VSS 20/1	+ SUM 56	0,85	58	1/4"	38	20	6,5	7	16
SM 25 10 =	VSS 25/1	+ SUM 31	1,25	58	1/8"	38	25	6,5	13,5	16
SM 25 14 =	VSS 25/1	+ SUM 56	1,25	58	1/4"	38	25	6,5	7	16




art. SM...

Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F
SM 18 01 =	VSS 18/1	+ SUM 9	0,65	21	8 MA	11	18	-	10
SM 18 02 =	VSS 18/1	+ SUM 27	0,65	19	6 MA	11	18	-	8
SM 18 04 =	VSS 18/1	+ SUM 87	0,65	21	1/8"	11	18	-	10




art. SM...

Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	G
SM 30 02 =	VSS 30/3	+ SUM 30	1,55	50,5	6 MA	38	30	5	6,5	26
SM 32 01 =	VSS 32/3	+ SUM 30	1,60	50,5	6 MA	38	32	5	6,5	26
SM 38 01 =	VSS 38/3	+ SUM 30	2,50	50,5	6 MA	38	38	5	6,5	26
SM 38 03 =	VSS 38/3	+ SUM 50	2,50	50,5	1/8	38	38	5	8,5	26




art. SM...

Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	G
SM 30 18 =	VSS 30/1	+ SUM 57	1,60	33,5	1/8"	21	30	5	7,5	14,5
SM 36 01 =	VSS 36/1	+ SUM 30	2,50	33,5	6 MA	22	36	5	6,5	13
SM 41 01 =	VSS 41/1	+ SUM 30	2,90	33,5	6 MA	22	41	5	6,5	13




Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	G
SM 20 01 =	VSS 20/2	+ SUM 42	0,66	36	1/8"	22	20	5	9	16,5
SM 30 01 =	VSS 30	+ SUM 42	1,50	51	8 MA	38	30	5	8	23,5

art. SM...




Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	G
SM 30 11 =	VSS 31/1	+ SUM 19	+ SUM 8	1,90	50	1/4"	38	30	-	12 17
SM 40 11 =	VSS 40/1	+ SUM 19	+ SUM 13	3,25	48	1/4"	38	40	-	10 14
SM 42 11 =	VSS 42/1	+ SUM 19	+ SUM 14	3,40	44	1/4"	32	42	-	12 15
SM 50 11 =	VSS 50/1	+ SUM 19	+ SUM 21	5,10	45	1/4"	36	50	-	9 18

art. SM...



Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	G
SM 20 02 =	VSS 20/2	+ SUM 09	/	0,66	29,5	8 MA	22	20	-	7,5 16,5
SM 30 10 =	VSS 30/2	+ SUM 19	+ SUM 8	1,90	62	1/4"	50	30	-	12 30
SM 40 10 =	VSS 40/2	+ SUM 19	+ SUM 13	3,25	63	1/4"	53	40	-	10 30
SM 50 12 =	VSS 50/2	+ SUM 19	+ SUM 21	5,10	60	1/4"	50	50	-	10 30
SM 53 12 =	VSS 53/2	+ SUM 19	+ SUM 21	5,40	60	1/4"	42	50	-	10 23

art. SM...




Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	G
SM 72 01 =	VSS 72/1	+ SUM 34	+ Dado 1/4	10,50	62	1/4"	45	72	6	11 30

Ventose speciali a soffietto

con supporto maschio

Special bellows suction cups

with male support



art. SM...

Art.	Forza Kg Force Kg	A	B	C	D	E	F	CH
SM 35 08	2,5	50	8MA	-	35	5	11	17
SM 35 10	2,5	60	10MA	-	35	6	10	17


Art=	Ventosa S. cup	+ Supporto + Support	+ Supporto + Support	+ Supporto + Support
SM 35 08 =	VSP 35/A	+ SUM 36C	+ SUM 36B	+ SUM 36E
SM 35 10 =	VSP 35/A	+ SUM 36A	+ SUM 36B	+ SUM 36E

Ventose speciali a soffietto

con supporto maschio vulcanizzato

Special bellows suction cups

with male vulcanized support



art. SM...


Art.	Forza Kg Force Kg	A	B	C	DØ	E	F	SW
SM 25 08	1,20	40	8 MA	28	25	12	22	6
SM 32 08	2,00	40	8 MA	28	32	12	22	6
SM 44 10	3,85	52	10 MA	36	44	16	25	8

Ventose speciali a soffietto con supporto maschio vulcanizzato esterno

Special bellows suction cups
with external male vulcanized support




VENTOSE
SUCTION CUPS



art. SMS...

Art	Forza Kg Force Kg	A	B	C	DØ	E	F
SMS 40 01	3,14	56,5	1/4"	35	40	21,5	18
SMS 50 01	4,9	58,5	1/4"	37	50	21,5	20
SMS 60 01	7	60,5	1/4"	39	60	21,5	21
SMS 85 01	14	71,5	1/4"	50	85	21,5	31




art. SMS...

Art	Forza Kg Force Kg	A	B	C	DØ	E	F
SMS 40 02	3,14	73,5	1/4"	51,5	40	21,5	34,5
SMS 50 02	4,9	78,5	1/4"	57	50	21,5	40
SMS 60 02	7	79,5	1/4"	58	60	21,5	41
SMS 85 02	14	99,5	1/4"	78	85	21,5	58


Ventose speciali a soffietto con supporto femmina

Special bellows suction cups
with female support



art. SF...

Art =	Ventosa S. cup	+ Supporto + Support	Force Kg Force Kg	A	B	C	DØ	E	F
SF 30 11 =	VSS 31/1	+ SUM 8 + SUF 52	1,78	51	1/4"	38	30	13	15
SF 40 11 =	VSS 40/1	+ SUM 13 + SUF 52	3,17	51	1/4"	38	40	13	15
SF 50 11 =	VSS 50/1	+ SUM 21 + SUF 52	5	49	1/4"	36	50	13	13
SF 43 12 =	VSS 43/11	+ SUM 21 + SUF 52	3,6	43	1/4"	30	43	13	14
SF 60 12 =	VSS 60/11	+ SUM 21 + SUF 52	7,1	49	1/4"	36	60	13	18
SF 85 12 =	VSS 85/11	+ SUM 21 + SUF 52	15	63	1/4"	50	85	13	30



art. SF...


Art =	Ventosa S. cup	+ Supporto + Support	Force Kg Force Kg	A	B	C	DØ	E	F
SF 30 10 =	VSS 30/2	+ SUM 8 + SUF 52	1,9	63	1/4"	50	30	13	25
SF 40 10 =	VSS 40/2	+ SUM 13 + SUF 52	3,4	66	1/4"	53	40	13	30
SF 50 12 =	VSS 50/2	+ SUM 21 + SUF 52	5,1	63	1/4"	50	50	13	25
SF 53 12 =	VSS 53/2	+ SUM 21 + SUF 52	5,1	55	1/4"	42	50	13	18
SF 53 12 18 =	VSS 53/2	+ SUM 21 + SUF 58	5,1	52,5	1/8"	42	50	10,5	18
SF 43 22 =	VSS 43/3	+ SUM 21 + SUF 52	3,6	59	1/4"	46	43	13	29
SF 60 22 =	VSS 60/12	+ SUM 21 + SUF 52	7,1	68	1/4"	55	60	13	37
SF 85 22 =	VSS 85/12	+ SUM 21 + SUF 52	15	93	1/4"	80	85	13	58

Ventose speciali a soffietto per superfici piane con supporto

Special bellows suction cups
for flat surface with support



VENTOSE
SUCTION CUPS




art. SM...

Art =	Ventosa S. cup	+ Supporto + Support	Forza Kg Force Kg	A	B	C	D	E	F	GØ
SM 150 01 =	VSS 150	D.VSS 150	69	58	125	78	150	58	35	8
SM 210 01 =	VSS 210	D.VSS 210	95	63	185	138	210	118	65	8
SM 150 011 =	VSS 150	D.VSS 150 12	69	58	125	78	150	58	35	1/2"
SM 210 011 =	VSS 210	D.VSS 210 12	95	63	185	138	210	118	65	1/2"


Ventose speciali a soffietto con filetto femmina vulcanizzato interno

Special bellows suction cups
with female vulcanized thread



art. SF...

Art.	Forza Kg Force Kg	A	B	C	DØ	E	F
SF 30 01	1,78	38	1/4"	18	30	20	13
SF 40 01	3,17	38	1/4"	20	40	18	14
SF 44 10	3,85	35	1/4"	25	44	10	16
SF 50 01	5	35	1/4"	20	50	15	11



art. SF...


Art.	Forza Kg Force Kg	A	B	C	DØ	E	F
SF 30 02	1,9	50	1/4"	30	30	20	25
SF 40 02	3,4	53	1/4"	35	40	18	29
SF 50 02	5,1	50	1/4"	35	50	15	25
SF 53 02	5,25	42	1/4"	27	50	15	18

Ventose speciali a soffietto

con supporto femmina vulcanizzato esterno


Special bellows suction cups

with external female vulcanized support



art. SFS...

Art	Forza Kg Force Kg	A	B	C	D	E	F
SFS 40 01	3,14	52	1/4"	35	40	17	18
SFS 50 01	4,90	54	1/4"	37	50	17	20
SFS 60 01	7	56	1/4"	39	60	17	21
SFS 85 01	14	67	1/4"	50	85	17	31



art. SFS...


Art	Forza Kg Force Kg	A	B	C	D	E	F
SFS 40 02	3,14	69	1/4"	52	40	17	35
SFS 50 02	4,90	72	1/4"	55	50	17	38
SFS 60 02	7	75	1/4"	58	60	17	41
SFS 85 02	14	95	1/4"	78	85	17	58

Ventose speciali a soffietto con supporto femmina vulcanizzato


Special bellows suction cups
with female vulcanized support




VENTOSE
SUCTION CUPS



art. SF 78 14




art. SF 80 38



art. SM 150 12

Ventose a soffietto con supporto femmina fisso


Bellows suction cups
with fixed female support



art. SF...

Art	Forza Kg Force Kg	A	B	C	DØ	E	F
SF 43 00	3,6	45	1/4"	30	43	15	14
SF 60 00	7,1	51	1/4"	36	60	15	18
SF 85 00	15	68	1/4"	50	85	15	30

NB: Supporto non vulcanizzato ma non smontabile.
NB: support not vulcanized but not dismountable.



art. SF...

Art	Forza Kg Force Kg	A	B	C	DØ	E	F
SF 43 02	3,6	61	1/4"	46	43	15	29
SF 60 02	7,1	70	1/4"	55	60	15	37
SF 85 01	15	100	1/4"	78	85	15	58

NB: Supporto non vulcanizzato ma non smontabile.
NB: support not vulcanized but not dismountable.

Ventose ovali


Oval suction cups




VENTOSE
SUCTION CUPS

Ventose ovali senza supporto


Oval suction cups without support




art. VO 4




art. VO 7



art. VO 10









Art.	A	B	D	d	H
VO 15	15	5	8	5	12
VO 18	18	6	8	5	12
VO 24	24	8	12	5	12
VO 30	30	10	12	5	12
VO 36	36	12	12	5	12





Art.	A	B	D	d	H
VO 45	45	15	17	11	21
VO 60	60	20	18	11	21
VO 75	75	25	18	11	21
VO 85	85	28	18	11	21
VO 100	100	35	18	11	21



Ventose ovali con supporto maschio

Oval suction cups
with male support






Art.	Ventosa <i>S. cup</i>	+ Supporto <i>+ Support</i>	A	B	D	d	H	S	CH
VOS 15	VO 15	+ SUM 62	15	5	1/8"	4	18	28	13
VOS 18	VO 18	+ SUM 62	18	6	1/8"	4	18	28	13
VOS 24	VO 24	+ SUM 62	24	8	1/8"	4	18	28	13
VOS 30	VO 30	+ SUM 62	30	10	1/8"	4	18	28	13
VOS 36	VO 36	+ SUM 62	36	12	1/8"	4	18	28	13




Art.	Ventosa <i>S. cup</i>	+ Supporto <i>+ Support</i>	A	B	D	d	H	S	CH
VOS 45	VO 45	+ SUM 58	45	15	1/4"	1/8"	29	36	17
VOS 60	VO 60	+ SUM 58	60	20	1/4"	1/8"	29	36	17
VOS 75	VO 75	+ SUM 58	75	25	1/4"	1/8"	29	36	17
VOS 85	VO 85	+ SUM 58	85	28	1/4"	1/8"	29	36	17
VOS 100	VO 100	+ SUM 58	100	35	1/4"	1/8"	29	36	17

Ventose ovali con supporto vulcanizzato

Oval suction cups
with vulcanized support



Art.	A	B	C	D	E	F	G	H	h
VO 100/1	100	55	25	78	33	8	8	22,5	9
VO 150/1	150	55	40	128	33	8	8	22,5	9
VO 200/1	200	55	50	178	33	8	8	22,5	9
VO 300/1	300	55	100	278	33	8	8	21,5	8
VO 500/1	500	180	160	432	112	8	8	40	21,5




Ventose ovali

speciali senza supporto


Oval suction cups

special without support


VENTOSE
SUCTION CUPS



art. VO 5



art. VO 23




art. VO 46

Ventose ovali


speciali con supporto vulcanizzato

Oval suction cups

special with vulcanized support




art. VO 42




art. VO 70

Ventose ovali con profilo in EPDM


Oval suction cups
with outline in EPDM




art. VO 106 40




art. VO 106 45




art. VO 106 10



art. VO 207 40



art. VO 207 45



art. VO 207 10

Ventose ovali


a soffietto con supporto vulcanizzato

Oval suction cups

bellows with vulcanized support



VENTOSE
SUCTION CUPS



art. VO 97

Ventose a disco


Disc suction cups



Ventose a disco - Serie VD


senza supporto

Disc suction cup - VD Series
without support



art. VD 67

Art.	Forza Kg Force Kg	A	BØ	CØ	DØ	EØ	F	G	H
VD 67	7,75	17	58	62	65	27	67	3	6



art. VD 65-85-90-120-160

Art.	Forza Kg Force Kg	A	BØ	CØ	DØ	EØ	F	G	H
VD 65	7,75	16	40	44	65	13	50	3	7
VD 85	13	17,5	58	62	85	24,5	67	3	7
VD 90	13,82	17,5	58	62	90	24,5	67	3	7
VD 120	23	17	87	91	120	54	96	3	7
VD 160	44	24	118	124	160	64	132	4	11

Ventose a disco - Serie VDUS


con supporto in alluminio

Disc suction cup - VDUS Series

with support in aluminium



VENTOSE
SUCTION CUPS



art. VDUS 65-67-85-90-120-160


Art.	Ventosa S. cup	+ Disco + Disc	Forza Kg Force Kg	A	B	C	D	E
VDUS 65	VD 65	D.VD6514	10,5	16	50	10	65	1/4"
VDUS 67	VD 67	D.VD9014	10,5	17	67	9	65	1/4"
VDUS 85	VD 85	D.VD9014	18	17,5	67	10	85	1/4"
VDUS 90	VD 90	D.VD9014	18,9	17,5	67	10	90	1/4"
VDUS 120	VD 120	D.VD12014	29	17	96	10	120	1/4"
VDUS 160	VD 160	D.VD16014	55	24	131	15	160	1/4"

Ventose a disco - Serie VDUS

con supporto vulcanizzato in alluminio

Disc suction cup - VDUS Series

with vulcanized support in aluminium



art. VDUS 250-300


Art.	Forza Kg Force Kg	A	B	C	D	E
VDUS 250	115	45	215	31	255	*
VDUS 300	175	45	244	31	285	*

* La foratura è a richiesta

* Drilling on request

Ventose a disco - Serie VDUT con tastatore

Disc suction cup - VDUT Series
with relief valve



art. VDUT


Art.	A	B	C	DØ	E	CH
VDUT 65	33	1/8"	16	65	17	14
VDUT 67	49	1/2"	17	65	32	30
VDUT 85	49,5	1/2"	17,5	85	32	30
VDUT 90	49,5	1/2"	17	90	32	30
VDUT 120	49	1/2"	17	120	32	30
VDUT 160	56	1/2"	24	160	32	30

Art.	Ventosa S. cup	+ Disco + Disc	+ Tast. + Sensor
VDUT 65	VD65	D.VD6518	T.075
VDUT 67	VD67	D.VD9012	T.110
VDUT 85	VD85	D.VD9012	T.110
VDUT 90	VD90	D.VD9012	T.110
VDUT 120	VD120	D.VD12012	T.110
VDUT 160	VD160	D.VD16012	T.110

Ventose a disco - Serie VDPT

con tastatore a sfera

Disc suction cup - VDPT Series
with spherical relief valve



art. VDPT

Art.	A	B	C	DØ	E	F	G	L
VDPT 65	25x1,5	50	40	65	16	22	KM 5	86,5
VDPT 67	25x1,5	67	40	65	17	22	KM 5	87,5
VDPT 85	25x1,5	67	40	85	17,5	22	KM 5	87,5
VDPT 90	25x1,5	67	40	90	17,5	22	KM 5	87,5
VDPT 120	25x1,5	96	40	120	17	22	KM 5	87,5
VDPT 160	35x1,5	131	80	160	23	32	KM 7	93,5


Ventose a disco - Serie VDE

con raggi e supporto vulcanizzato

Disc suction cup - VDE Series
flat with rays and vulcanized support



VENTOSE
SUCTION CUPS



Art.	A	B	C	D	E	F
VDE 60	16	38	17	60	11	1/4"
VDE 80	16	52	17	80	12	1/4"
VDE 95	16	66	17	95	12	1/4"

Art.	A	B	C	D	E	F
VDE 121	25	90	20	120	18,5	14
VDE 151	32	105	20	150	22,5	13
VDE 201	39	142	21	200	24	13

Ventose a disco - Serie VDO



senza supporto

Disc suction cup - VDE Series
without support



art. VDO 160

art. VDO 176




Ventose a disco - Serie VNT 100

con supporto vulcanizzato

Disc suction cup - VNT 100 Series

with vulcanized support




Ventose a disco - Serie VDS

con supporto vulcanizzato in acciaio


Disc suction cup - VDS Series
 with vulcanized support in steel



VENTOSE
SUCTION CUPS



Art.	Forza Kg Force Kg	AØ	BØ	C	DØ	EØ	FØ	G	L	M	N	H
VDS 110	23	74	70	26	110	1/4"	M12	10	2	14	5	26
VDS 150	45	115	110	39,8	150	3/8"	M12	7,5	4	14,5	5	26
VDS 200	78	164	160	47,5	200	3/8"	M12	11	4	14	7	29
VDS 250	123	215	210	72	250	3/8"	M12	11	4	14	7	29
VDS 300	175	266	260	89	300	1/2"	M16	11	5	15	7	31
VDS 350	240	316	310	89	350	1/2"	M16	11	5	15	7	31





Versione speciale con doppio labbro
 Special version with double lip

Art	Forza Kg Force Kg	C	D	E	F	H
VDS 111	23	26	110	1/4"	M12	26
VDS 151	45	40	150	3/8"	M12	31
VDS 201	78	47,5	200	3/8"	M12	31
VDS 251	123	72,5	250	3/8"	M12	28
VDS 301	175	89	300	1/2"	M16	31
VDS 351	240	89	350	1/2"	M16	31

Ventose a disco - Serie VDSF 110

Disc suction cup - VDSF 110 Series



cod.	øA
VDSF 110 42	3/8"
VDSF 110 43	1/2"

Supporti per ventose - Serie VDSF 110

Fittings for suction cups - VDSF 110 Series


Art =	Ventosa Suction cup	+ Supporto + Fitting
VDSF 110 42	VDSF 110 45	SUF 110 42
VDSF 110 43	VDSF 110 45	SUF 110 43

Ventose a disco - Serie VDSF 111


Disc suction cup - VDSF 111 Series



VENTOSE
SUCTION CUPS



art. VDSF 111 45



cod.	øA
VDSF 111 42	3/8"
VDSF 111 43	1/2"


Supporti per ventose - Serie VDSF 111

Fittings for suction cups - VDSF 111 Series


Art =	Ventosa Suction cup	+ Supporto + Fitting
VDSF 111 42	VDSF 111 45	SUF 110 42
VDSF 111 43	VDSF 111 45	SUF 110 43

Ventose a disco - Serie VDSB 150 - 350

Disc suction cup - VDSB 150 - 350 Series



Art.	D	d	H
VDSB 150 45	154	120	37
VDSB 200 45	204	170	44
VDSB 250 45	254	220	44
VDSB 300 45	306	272	47
VDSB 350 45	358	324	47




Art.	D	Ø	H	H1	Supporto Fitting
VDSB 150 42	154	1/2"	48	40	SUFVDSB15042
VDSB 150 43	154	3/4"	48	40	SUFVDSB15043
VDSB 200 42	204	1/2"	55	47	SUFVDSB20042
VDSB 200 43	204	3/4"	55	47	SUFVDSB20043
VDSB 250 42	254	1/2"	55	47	SUFVDSB25042
VDSB 250 43	254	3/4"	55	47	SUFVDSB25043
VDSB 300 42	306	1/2"	58	50	SUFVDSB30042
VDSB 300 43	306	3/4"	58	50	SUFVDSB30043
VDSB 350 42	358	1/2"	58	50	SUFVDSB35042
VDSB 350 43	358	3/4"	58	50	SUFVDSB35043




Ventose a disco - Serie VDSB 151 - 351

Disc suction cup - VDSB 151 - 351 Series



Art.	D	d	H
VDSB 151 45	154	120	37
VDSB 201 45	204	170	44
VDSB 251 45	254	220	44
VDSB 301 45	306	272	47
VDSB 351 45	358	324	47




Art.	D	Ø	H	H1	Supporto Fitting
VDSB 151 42	154	1/2"	48	40	SUFVDSB15142
VDSB 151 43	154	3/4"	48	40	SUFVDSB15143
VDSB 201 42	204	1/2"	55	47	SUFVDSB20142
VDSB 201 43	204	3/4"	55	47	SUFVDSB20143
VDSB 251 42	254	1/2"	55	47	SUFVDSB25142
VDSB 251 43	254	3/4"	55	47	SUFVDSB25143
VDSB 301 42	306	1/2"	58	50	SUFVDSB30142
VDSB 301 43	306	3/4"	58	50	SUFVDSB30143
VDSB 351 42	358	1/2"	58	50	SUFVDSB35142
VDSB 351 43	358	3/4"	58	50	SUFVDSB35143




Ventose a disco - Serie VDUSB 300

Disc suction cup - VDUSB 300 Series



VDUSB 300 45



Cod.	øA
VDUSB 300 42	1/2"
VDUSB 300 43	3/4"

Supporti per ventose - Serie VDUSB 300


Fittings for suction cups - VDUSB 300 Series

Art =	Ventosa Suction cup	+ Supporto + Fitting
VDUSB 300 42	VDUSB 300 45	SUF VDUSB 300 42
VDUSB 300 43	VDUSB 300 45	SUF VDUSB 300 43


Ventose a disco - Serie VSSB 200 - 250

Disc suction cup - VSSB 200 - 250 Series

VENTOSE
SUCTION CUPS



Art.	D	d	H
VSSB 200 45	200	114	90
VSSB 250 45	250	164	90




Art.	D	Ø	H	H1	Supporto Fitting
VSSB 200 42	200	1/2"	102	94	SUFVDSB20042
VSSB 200 43	200	3/4"	102	94	SUFVDSB20043
VSSB 250 42	200	1/2"	102	94	SUFVDSB25042
VSSB 250 43	200	3/4"	102	94	SUFVDSB25043




Ventose a disco - Serie VPF 110


Disc suction cup - VPF 110 Series




art. VPF 110 45



cod.	øA
VPF 110 42	3/8"
VPF 110 43	1/2"



art. VPF 110 63



art. VPF 110 53

Supporti per ventose - Serie VPF 110


Fittings for suction cups - VPF 110 Series

Art =	Ventosa Suction cup	+ Supporto + Fitting
VPF 110 42	VPF 110 45	SUF 110 42
VPF 110 43	VPF 110 45	SUF 110 43
VPF 110 53	VPF 110 45	SUF 110 53
VPF 110 63	VPF 110 45	SUF 110 63

Ventose a disco - Serie VP 150

senza supporto

Disc suction cup - VP Series
without support




Art.	Forza Kg Force Kg	D	d	H
VP 150 45	52	150	121	20

Ventose a disco - Serie VP 150

con supporto

Disc suction cup - VP Series
with support




Art.	Forza Kg Force Kg	D	d	H	F
VP 150 40	52	150	1/2"	28	-

Ventose a disco - Serie VP 150

con supporto e tastatore

Disc suction cup - VP Series
with support and relief valve




Art.	Forza Kg Force Kg	A	B	C	D	d
VP 150 50	52	28	32	126	150	1/2"

Art.	Ventosa S. cup	+ Tast. + Sensor
VP 150 50	VP 150 40	T.110

Ventose a disco - Serie VP 240-350

senza supporto

Disc suction cup - VP Series
without support





Art.	Forza Kg Force Kg	D	d	H
VP 240 45	150	228	198	20
VP 350 45	320	338	292	24

Ventose a disco - Serie VP 240-350

con supporto

Disc suction cup - VP Series
with support




Art.	Forza Kg Force Kg	D	d	H	F
VP 240 40	150	240	3/4"	27	M8
VP 350 40	320	350	3/4"	31	M8

Ventose a disco - Serie VP

supporto per ventose a disco


Disc suction cup - VP Series
Supports for disc suction cups




Art.	D	d	H
VP 150 10	126	1/2"	13,5
VP 240 10	215	3/4"	13,5
VP 350 10	315	3/4"	13,5

Ventose a disco - Serie PF senza supporto

Disc suction cup - PF Series
without support



art. da PF 42 45 a PF 150 45




art. PF 215 45 e PF 315 45


Art.	D	S	H
PF 42 45	38	7,5	10,5
PF 70 45	60	7,5	10,5
PF 110 45	100	7,5	10,5
PF 150 45	140	7,5	10,5
PF 215 45	210	15	26,5
PF 315 45	310	15	26,5

Ventose a disco - Serie PF con supporto

Disc suction cup - PF Series
with support



art. da PF 42 40 a PF 150 40




art. PF 215 40 e PF 315 40

Art.	Forza Kg Force Kg	D	d	H
PF 42 40	4	42,5	1/8"	15,5
PF 70 40	12	67,5	1/8"	15,5
PF 110 40	36	107,5	1/2"	19
PF 150 40	52	145	1/2"	23
PF 215 40	150	215	3/4"	34
PF 315 40	320	315	3/4"	34

Ventose a disco - Serie PF con supporto e tastatore


Disc suction cup - PF Series
with support and relief valve




Art.	Ventosa S. cup	+ Tast. + Sensor	Forza Kg Force Kg	A	B	D	d
PF 42 50	PF 42 40	T.75	4	15,5	17	42,5	1/8"
PF 70 50	PF 70 40	T.75	12	15,5	17	67,5	1/8"
PF 110 50	PF 110 40	T.110	36	19	32	107,5	1/2"
PF 150 50	PF 150 40	T.110	52	23	32	145	1/2"

Ventose a disco - Serie PF Supporto per ventose a disco

Disc suction cup - PF Series
support for disc suction cup



art. da PF 42 10 a PF 150 10



art. PF 215 10 e PF 315 10

Art.	D	d	H
PF 42 10	42,5	1/8"	8
PF 70 10	67,5	1/8"	8
PF 110 10	107,5	1/2"	12
PF 150 10	145	1/2"	16
PF 215 10	215	3/4"	13,5
PF 315 10	315	3/4"	13,5

Ventose in mousse


Foam rubber suction cup



Ventose in mousse

senza supporto

*Foam rubber suction cup
without support*



Art.	Forza Force	D	d	S
GS 44 24 10	-	44	24	10
GS 60 40 10	-	63	43	10
GS 92 72 10	-	92	72	10
GS 127 97 10	-	127	107	10


* Densità standard dn 250
Per altre forme, dimensioni o densità a richiesta.

* Standard thickness DN 250
other shapes, dimensions and thicknesses on request

Ventose in mousse

con supporto

*foam rubber suction cup
with support*



Art.	Ventosa S. cup	+ Disco + Disc	Forza Kg Force Kg	A	B	C	D	d	S
VGS 44 24 10	GS 44 24 10	D.VD6514	2,1	1/4"	40	10	44	24	10
VGS 60 40 10	GS 60 40 10	D.VD9014	3,4	1/4"	59	11	63	43	10
VGS 92 72 10	GS 92 72 10	D.VD12014	8,6	1/4"	89	11	92	72	10
VGS 127 97 10	GS 127 97 10	D.VD16014	17,6	1/4"	120	15	127	107	10

* Densità standard dn 250
Per altre forme, dimensioni o densità a richiesta.

* Standard thickness DN 250
other shapes, dimensions and thicknesses on request

Ventose rettangolari


Rectangular suction cups




Ventose rettangolari

senza supporto


*Rectangular suction cups
without support*




art. VR 52 25 26




art. VR 52 25 28




art. VR 60 29 26




art. VR 60 29 28




art. VR 79 29 36




art. VR 80 22 33




art. VR 80 30 33




art. VR 80 40 33



art. VR 80 50 33




art. VR 95 32 50



art. VR 95 58 50

Ventose rettangolari con tastatore a sfera

Rectangular suction cup
with spherical relief valve




art. VRT 59

Ventose rettangolari con supporto femmina vulcanizzato

Rectangular suction cup
with female vulcanized support



art. VR 172/1



Ventose a schiacciamento

Deflection suction cups




VENTOSE
SUCTION CUPS


Ventose a schiacciamento

autobloccanti senza foro


Deflection suction cups self locking without hole



Art.	A	B	C	D	E
VSF 20 15	15	6	17,5	20	5,7
VSF 25 17	17	7	22,5	25	5,5



Art.	H	D
VSF 40 20	16	40
VSF 50 20	19	51




Art.	H	D
VSF 40 16	16	40
VSF 50 16	19	51

Ventose a schiacciamento


autobloccanti senza foro

Deflection suction cups

self locking without hole





art. VM 115



art. VSF 30 15

Ventose a membrana

Membrane suction cup



Art.	D	d	S
GN 20 03 01	20	3	1
GN 24 09 01	24	9	1
GN 24 09 05	24	9	0,5
GN 25 06 01	25	6	1
GN 25 06 02	25	6	2
GN 26 14 15	26	14	1,5
GN 28 17 07	28	17,5	0,7
GN 30 03 02	30	3	2
GN 30 05 15	30	5	1,5
GN 30 15 15	30	15	1,5
GN 32 15 01	32	15	1
GN 32 15 05	32	15	0,5
GN 35 04 02	35	4	2
GN 35 05 02	35	5	2
GN 35 08 02	35	8	2
GN 35 14 01	35	14	1
GN 35 14 02	35	14	2
GN 36 15 01	36	15	1
GN 38 14 01	38	14	1
GN 38 14 05	38	14	0,5
GN 39 15 01	39	15	1
GN 39 15 05	39	15	0,5
GN 45 24 02	45	24	2
GN 50 06 02	50	6	2
GN 50 24 02	50	24	2
GN 50 25 02	50	25	2
GN 50 35 02	50	35	2
GN 64 23 01	64	23	1
GN 202 115 6	202	115	6

Ventosa Air Contact - Serie VEB

Air Contact suction cups - VEB Series




Le nuove ventose della serie VEB hanno la caratteristica di generare forza di sollevamento grazie all'effetto Bernoulli. Queste ventose permettono di movimentare anche componenti dalla forma non particolarmente definita, offrendo grazie ai 3 punti di appoggio in gomma certificata FDA, una buona resistenza alla movimentazione verticale. Sono realizzate in una particolare lega di alluminio idonea al fissaggio dello strato di ossido anodico senza usare sostanze nocive, rendendole idonee alle applicazioni alimentari.

The new suction cups of the VEB series have the feature of generating lifting force thanks to the Bernoulli effect. These suction cups also allow handling of components with a not particularly defined shape, offering thanks to the 3 support points in FDA certified rubber good resistance to vertical handling.


They are made of a particular aluminum alloy suitable to fixing of the anodic oxide layer without using harmful substances, making them suitable for food applications.

- Forza limite al distacco
- Forza d'esercizio
- Forza massima laterale
- Consumo d'aria


- Limiting force on detachment
- Operating force
- Maximum lateral force
- Air consumption



art. VEB 60



art. VEB 40



art. VEB 30

Mod.	Pressione d'alimentazione / Working pressure																											
	1 BAR				2 BAR				3 BAR				4 BAR				5 BAR				6 BAR				7 BAR			
Model	Forza limite al distacco (gr) Limiting force on detachment (gr)	Forza max d'esercizio (gr) Operating force (gr)	Forza max laterale (gr) Maximum lateral force (gr)	Consumo (Nl/min) Air consumption (Nl/min)	Forza limite al distacco (gr) Limiting force on detachment (gr)	Forza max d'esercizio (gr) Operating force (gr)	Forza max laterale (gr) Maximum lateral force (gr)	Consumo (Nl/min) Air consumption (Nl/min)	Forza limite al distacco (gr) Limiting force on detachment (gr)	Forza max d'esercizio (gr) Operating force (gr)	Forza max laterale (gr) Maximum lateral force (gr)	Consumo (Nl/min) Air consumption (Nl/min)	Forza limite al distacco (gr) Limiting force on detachment (gr)	Forza max d'esercizio (gr) Operating force (gr)	Forza max laterale (gr) Maximum lateral force (gr)	Consumo (Nl/min) Air consumption (Nl/min)	Forza limite al distacco (gr) Limiting force on detachment (gr)	Forza max d'esercizio (gr) Operating force (gr)	Forza max laterale (gr) Maximum lateral force (gr)	Consumo (Nl/min) Air consumption (Nl/min)	Forza limite al distacco (gr) Limiting force on detachment (gr)	Forza max d'esercizio (gr) Operating force (gr)	Forza max laterale (gr) Maximum lateral force (gr)	Consumo (Nl/min) Air consumption (Nl/min)	Forza limite al distacco (gr) Limiting force on detachment (gr)	Forza max d'esercizio (gr) Operating force (gr)	Forza max laterale (gr) Maximum lateral force (gr)	Consumo (Nl/min) Air consumption (Nl/min)
VEB30	100	70	49	67	300	210	147	100	450	315	221	134	600	420	294	167	700	490	343	200	800	560	392	235	800	560	392	267
VEB40	300	210	147	75	430	301	211	112	600	420	294	150	900	630	441	187	1100	770	539	225	1300	910	637	263	1400	980	686	300
VEB60	350	245	172	84	470	329	230	125	650	455	319	167	950	665	466	209	1150	805	564	251	1350	945	662	294	1500	1050	735	334

Ventosa - Serie VPM 140

Suction cups - VPM 140 Series



VENTOSE
SUCTION CUPS

La nuova ventosa serie VPM 140 è stata studiata per il sollevamento e la movimentazione di sacchi. Grazie al labbro in mousse viene garantita un'ottima presa, inoltre la sua griglia interna impedisce la chiusura del foro di aspirazione rendendola particolarmente adatta al suo scopo.

The new suction cup VPM 140 series has been designed for lifting and handling bags. Thanks to the mousse lip, an excellent grip is guaranteed and its internal grid prevents the suction hole from closing, making it particularly suitable for its purpose.

